



Appendix 9.8

Modelled Receptor Noise Levels

Table of contents

9.1	Modelled Receptor Noise Levels – Developments in Isolation	3
9.1.1	Without Mitigation	3
9.1.2	With Mitigation – Scenario 1: Proposed Development Only	5
9.1.3	With Mitigation – Scenario 2: Three Proposed Developments (Carrick, Craiginmoddie and Knockcronal)	5



9.1 Modelled Receptor Noise Levels – Developments in Isolation

9.1.1 Without Mitigation

- The below tables present a suite of modelled receptor noise levels predicted without mitigation.

9.1.1.1 Proposed Development – All Wind Turbines in Unconstrained Mode

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	7.4	8.6	13.8	18.6	20.4	20.4	20.4	20.4	20.4	20.4	20.4
Glenmartin	8.0	9.2	14.4	19.2	21.0	21.0	21.0	21.0	21.0	21.0	21.0
The Shielling	9.5	10.7	15.9	20.7	22.5	22.5	22.5	22.5	22.5	22.5	22.5
Knockinculloch Enclosure	20.9	22.1	27.3	32.1	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Glenalla	22.9	24.1	29.3	34.1	35.9	35.9	35.9	35.9	35.9	35.9	35.9
Knokskae	15.4	16.6	21.8	26.6	28.4	28.4	28.4	28.4	28.4	28.4	28.4
Linfairn	13.9	15.1	20.3	25.1	26.9	26.9	26.9	26.9	26.9	26.9	26.9
Genoch Cottage	13.7	14.9	20.1	24.9	26.7	26.7	26.7	26.7	26.7	26.7	26.7
Culdoch Cottage	10.4	11.6	16.8	21.6	23.4	23.4	23.4	23.4	23.4	23.4	23.4
Baing Farm	11.3	12.5	17.7	22.5	24.3	24.3	24.3	24.3	24.3	24.3	24.3
Tairlaw Toll Cottage	18.3	19.5	24.7	29.5	31.3	31.3	31.3	31.3	31.3	31.3	31.3
Tairlaw Toll House	18.3	19.5	24.7	29.5	31.3	31.3	31.3	31.3	31.3	31.3	31.3
Tallaminnoch Cottage	19.1	20.3	25.5	30.3	32.1	32.1	32.1	32.1	32.1	32.1	32.1
Black Row	13.4	14.6	19.8	24.6	26.4	26.4	26.4	26.4	26.4	26.4	26.4
Aldinna	11.7	12.9	18.1	22.9	24.7	24.7	24.7	24.7	24.7	24.7	24.7
White Row	12.9	14.1	19.3	24.1	25.9	25.9	25.9	25.9	25.9	25.9	25.9
Doughty Farm	15.6	16.8	22.0	26.8	28.6	28.6	28.6	28.6	28.6	28.6	28.6
Corphin Cottage	5.0	6.2	11.4	16.2	18.0	18.0	18.0	18.0	18.0	18.0	18.0
Delamford Cottage	3.8	5.0	10.2	15.0	16.8	16.8	16.8	16.8	16.8	16.8	16.8
Dobbingstone Farm	5.7	6.9	12.1	16.9	18.7	18.7	18.7	18.7	18.7	18.7	18.7

Table 9.8.1 Receptor Noise Levels – Proposed Development in Isolation – No Mitigation/Unconstrained Mode, L_{A90,T}, dB

9.1.1.2 Dersaloch Windfarm in Isolation – Worst Case Operation Within Consent

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	-	6.1	10.3	14.8	19.5	21.7	21.7	21.7	21.7	21.7	21.7
Glenmartin	-	6.0	10.2	14.7	19.4	21.5	21.5	21.5	21.5	21.5	21.5
The Shielling	-	5.9	10.1	14.6	19.3	21.4	21.4	21.4	21.4	21.4	21.4
Knockinculloch Enclosure	-	6.2	10.4	14.9	19.6	21.8	21.8	21.8	21.8	21.8	21.8
Glenalla	-	6.6	10.8	15.3	20.0	22.2	22.2	22.2	22.2	22.2	22.2
Knokskae	-	14.2	18.4	22.9	27.6	29.8	29.8	29.8	29.8	29.8	29.8

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Linfairn	-	13.7	17.9	22.4	27.1	29.3	29.3	29.3	29.3	29.3	29.3
Genoch Cottage	-	13.4	17.6	22.1	26.8	29.0	29.0	29.0	29.0	29.0	29.0
Culdoch Cottage	-	17.3	21.5	26.0	30.7	32.9	32.9	32.9	32.9	32.9	32.9
Baing Farm	-	17.6	21.8	26.3	31.0	33.2	33.2	33.2	33.2	33.2	33.2
Tairlaw Toll Cottage	-	14.1	18.3	22.8	27.5	29.7	29.7	29.7	29.7	29.7	29.7
Tairlaw Toll House	-	14.1	18.3	22.8	27.5	29.7	29.7	29.7	29.7	29.7	29.7
Tallaminnoch Cottage	-	9.8	14.0	18.5	23.2	25.4	25.4	25.4	25.4	25.4	25.4
Black Row	-	3.2	7.4	11.9	16.6	18.7	18.7	18.7	18.7	18.7	18.7
Aldinna	-	2.5	6.7	11.2	15.9	17.9	17.9	17.9	17.9	17.9	17.9
White Row	-	2.5	6.7	11.2	15.9	18.0	18.0	18.0	18.0	18.0	18.0
Doughty Farm	-	2.2	6.4	10.9	15.6	17.6	17.6	17.6	17.6	17.6	17.6
Corphin Cottage	-	-1.3	2.9	7.4	12.1	14.0	14.0	14.0	14.0	14.0	14.0
Delamford Cottage	-	-0.1	4.1	8.6	13.3	15.2	15.2	15.2	15.2	15.2	15.2
Dobbingstone Farm	-	1.3	5.5	10.0	14.7	16.8	16.8	16.8	16.8	16.8	16.8

Table 9.8.2 Receptor Noise Levels – Dersaloch Windfarm in Isolation – Worst Case Operation Within Consent, L_{A90,T}, dB

9.1.1.3 Hadyard Hill Windfarm in Isolation – Worst case Operation Within Consent

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	-	26.3	26.3	26.3	26.3	27.4	28.5	29.6	29.6	29.6	29.6
Glenmartin	-	25.4	25.4	25.4	25.4	26.5	27.6	28.7	28.7	28.7	28.7
The Shielling	-	24.8	24.8	24.8	24.8	25.9	27.0	28.1	28.1	28.1	28.1
Knockinculloch Enclosure	-	24.8	24.8	24.8	24.8	25.9	27.0	28.1	28.1	28.1	28.1
Glenalla	-	23.8	23.8	23.8	23.8	24.9	26.0	27.1	27.1	27.1	27.1
Knokskae	-	20.5	20.5	20.5	20.5	21.6	22.7	23.8	23.8	23.8	23.8
Linfairn	-	18.9	18.9	18.9	18.9	20.0	21.1	22.2	22.2	22.2	22.2
Genoch Cottage	-	19.2	19.2	19.2	19.2	20.3	21.4	22.5	22.5	22.5	22.5
Culdoch Cottage	-	18.4	18.4	18.4	18.4	19.5	20.6	21.7	21.7	21.7	21.7
Baing Farm	-	18.5	18.5	18.5	18.5	19.6	20.7	21.8	21.8	21.8	21.8
Tairlaw Toll Cottage	-	18.6	18.6	18.6	18.6	19.7	20.8	21.9	21.9	21.9	21.9
Tairlaw Toll House	-	18.6	18.6	18.6	18.6	19.7	20.8	21.9	21.9	21.9	21.9
Tallaminnoch Cottage	-	18.1	18.1	18.1	18.1	19.2	20.3	21.4	21.4	21.4	21.4
Black Row	-	23.7	23.7	23.7	23.7	24.8	25.9	27.0	27.0	27.0	27.0
Aldinna	-	24.4	24.4	24.4	24.4	25.5	26.6	27.7	27.7	27.7	27.7
White Row	-	25.4	25.4	25.4	25.4	26.5	27.6	28.7	28.7	28.7	28.7
Doughty Farm	-	28.8	28.8	28.8	28.8	29.9	31.0	32.1	32.1	32.1	32.1
Corphin Cottage	-	37.3	37.3	37.3	37.3	38.4	39.5	40.6	40.6	40.6	40.6
Delamford Cottage	-	41.3	41.3	41.3	41.3	42.4	43.5	44.6	44.6	44.6	44.6
Dobbingstone Farm	-	34.0	34.0	34.0	34.0	35.1	36.2	37.3	37.3	37.3	37.3

Table 9.8.3 Receptor Noise Levels – Hadyard Hill Windfarm in Isolation – Worst Case Operation Within Consent, L_{A90,T}, dB

9.1.1.4 Craiginmoddie Windfarm in Isolation – All Wind Turbines in Unconstrained Mode

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	13.0	14.2	19.4	24.2	26.0	26.0	26.0	26.0	26.0	26.0	26.0
Glenmartin	12.5	13.7	18.9	23.7	25.5	25.5	25.5	25.5	25.5	25.5	25.5
The Shielling	11.8	13.0	18.2	23.0	24.8	24.8	24.8	24.8	24.8	24.8	24.8
Knockinculloch Enclosure	19.0	20.2	25.4	30.2	32.0	32.0	32.0	32.0	32.0	32.0	32.0
Glenalla	17.2	18.4	23.6	28.4	30.2	30.2	30.2	30.2	30.2	30.2	30.2
Knokskae	6.1	7.3	12.5	17.3	19.1	19.1	19.1	19.1	19.1	19.1	19.1
Linfairst	4.5	5.7	10.9	15.7	17.5	17.5	17.5	17.5	17.5	17.5	17.5
Genoch Cottage	3.4	4.6	9.8	14.6	16.4	16.4	16.4	16.4	16.4	16.4	16.4
Culdoch Cottage	2.1	3.3	8.5	13.3	15.1	15.1	15.1	15.1	15.1	15.1	15.1
Baing Farm	2.2	3.4	8.6	13.4	15.2	15.2	15.2	15.2	15.2	15.2	15.2
Tairlaw Toll Cottage	2.0	3.2	8.4	13.2	15.0	15.0	15.0	15.0	15.0	15.0	15.0
Tairlaw Toll House	1.9	3.1	8.3	13.1	14.9	14.9	14.9	14.9	14.9	14.9	14.9
Tallaminnoch Cottage	3.2	4.4	9.6	14.4	16.2	16.2	16.2	16.2	16.2	16.2	16.2
Black Row	8.4	9.6	14.8	19.6	21.4	21.4	21.4	21.4	21.4	21.4	21.4
Aldinna	10.8	12.0	17.2	22.0	23.8	23.8	23.8	23.8	23.8	23.8	23.8
White Row	12.9	14.1	19.3	24.1	25.9	25.9	25.9	25.9	25.9	25.9	25.9
Doughty Farm	24.7	25.9	31.1	35.9	37.7	37.7	37.7	37.7	37.7	37.7	37.7
Corphin Cottage	17.5	18.7	23.9	28.7	30.5	30.5	30.5	30.5	30.5	30.5	30.5
Delamford Cottage	19.4	20.6	25.8	30.6	32.4	32.4	32.4	32.4	32.4	32.4	32.4
Dobbingstone Farm	20.6	21.8	27.0	31.8	33.6	33.6	33.6	33.6	33.6	33.6	33.6

Table 9.8.4 Receptor Noise Levels – Craiginmoddie Windfarm in Isolation – No Mitigation/Unconstrained Mode, L_{A90,T}, dB

9.1.1.5 Knockcronal Windfarm in Isolation – All Wind Turbines in Unconstrained Mode

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	-	8.0	11.6	16.0	19.3	19.8	19.9	19.9	19.9	19.9	19.9
Glenmartin	-	8.3	11.9	16.3	19.6	20.1	20.2	20.2	20.2	20.2	20.2
The Shielling	-	8.7	12.3	16.7	20.0	20.5	20.6	20.6	20.6	20.6	20.6
Knockinculloch Enclosure	-	18.1	21.7	26.1	29.4	29.9	30.0	30.0	30.0	30.0	30.0
Glenalla	-	18.8	22.4	26.8	30.1	30.6	30.7	30.7	30.7	30.7	30.7
Knokskae	-	23.0	26.6	31.0	34.3	34.8	34.9	34.9	34.9	34.9	34.9
Linfairst	-	22.8	26.4	30.8	34.1	34.6	34.7	34.7	34.7	34.7	34.7
Genoch Cottage	-	21.1	24.7	29.1	32.4	32.9	33.0	33.0	33.0	33.0	33.0
Culdoch Cottage	-	15.4	19.0	23.4	26.7	27.2	27.3	27.3	27.3	27.3	27.3
Baing Farm	-	16.9	20.5	24.9	28.2	28.7	28.8	28.8	28.8	28.8	28.8
Tairlaw Toll Cottage	-	21.2	24.8	29.2	32.5	33.0	33.1	33.1	33.1	33.1	33.1
Tairlaw Toll House	-	21.2	24.8	29.2	32.5	33.0	33.1	33.1	33.1	33.1	33.1

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Tallaminnoch Cottage	-	18.7	22.3	26.7	30.0	30.5	30.6	30.6	30.6	30.6	30.6
Black Row	-	11.0	14.6	19.0	22.3	22.8	22.9	22.9	22.9	22.9	22.9
Aldinna	-	9.5	13.1	17.5	20.8	21.3	21.4	21.4	21.4	21.4	21.4
White Row	-	9.8	13.4	17.8	21.1	21.6	21.7	21.7	21.7	21.7	21.7
Doughty Farm	-	8.3	11.9	16.3	19.6	20.1	20.2	20.2	20.2	20.2	20.2
Corphin Cottage	-	0.7	4.3	8.7	12.0	12.5	12.6	12.6	12.6	12.6	12.6
Delamford Cottage	-	2.0	5.6	10.0	13.3	13.8	13.9	13.9	13.9	13.9	13.9
Dobbingstone Farm	-	4.2	7.8	12.2	15.5	16.0	16.1	16.1	16.1	16.1	16.1

Table 9.8.5 Receptor Noise Levels – Knockcronal Windfarm in Isolation – No Mitigation/Unconstrained Mode, L_{A90,T}, dB

9.1.1.6 The Three Proposed Developments (Carrick, Craiginmoddie and Knockcronal) Simultaneously – All Wind Turbines in Unconstrained Mode

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	14.2	16.0	21.0	25.7	27.7	27.8	27.8	27.8	27.8	27.8	27.8
Glenmartin	14.0	15.8	20.8	25.6	27.6	27.6	27.7	27.7	27.7	27.7	27.7
The Shielling	14.0	15.9	20.9	25.6	27.7	27.7	27.8	27.8	27.8	27.8	27.8
Knockinculloch Enclosure	23.1	25.2	30.1	34.9	36.9	37.0	37.0	37.0	37.0	37.0	37.0
Glenalla	24.0	26.1	31.0	35.8	37.8	37.9	37.9	37.9	37.9	37.9	37.9
Knokskae	16.0	24.0	28.0	32.5	35.4	35.8	35.9	35.9	35.9	35.9	35.9
Linfairst	14.6	23.5	27.4	31.9	34.9	35.3	35.4	35.4	35.4	35.4	35.4
Genoch Cottage	14.3	22.1	26.1	30.6	33.5	33.9	34.0	34.0	34.0	34.0	34.0
Culdoch Cottage	11.3	17.1	21.3	25.9	28.6	28.9	29.0	29.0	29.0	29.0	29.0
Baing Farm	12.0	18.3	22.5	27.0	29.8	30.1	30.2	30.2	30.2	30.2	30.2
Tairlaw Toll Cottage	18.5	23.5	27.8	32.4	35.0	35.3	35.4	35.4	35.4	35.4	35.4
Tairlaw Toll House	18.5	23.5	27.8	32.4	35.0	35.3	35.3	35.3	35.3	35.3	35.3
Tallaminnoch Cottage	19.3	22.7	27.3	32.0	34.3	34.5	34.5	34.5	34.5	34.5	34.5
Black Row	14.7	17.0	21.9	26.6	28.7	28.8	28.8	28.8	28.8	28.8	28.8
Aldinna	14.5	16.5	21.4	26.1	28.2	28.3	28.3	28.3	28.3	28.3	28.3
White Row	16.0	17.9	22.8	27.6	29.6	29.7	29.7	29.7	29.7	29.7	29.7
Doughty Farm	25.3	26.5	31.7	36.5	38.3	38.3	38.3	38.3	38.3	38.3	38.3
Corphin Cottage	17.8	19.0	24.2	29.0	30.8	30.8	30.8	30.8	30.8	30.8	30.8
Delamford Cottage	19.6	20.8	26.0	30.8	32.6	32.6	32.6	32.6	32.6	32.6	32.6
Dobbingstone Farm	20.8	22.0	27.2	32.0	33.8	33.8	33.8	33.8	33.8	33.8	33.8

Table 9.8.6 Receptor Noise Levels – Proposed Developments (Carrick, Craiginmoddie and Knockcronal) Simultaneously – No Mitigation/Unconstrained Mode, L_{A90,T}, dB

9.1.2 With Mitigation

2. The below tables present a suite of modelled receptor noise levels predicted with mitigation where required.

9.1.2.1 Scenario 1: Proposed Development Only

3. No mitigation required.

9.1.2.2 Scenario 2: Three Proposed Developments (Carrick, Craiginmoddie and Knockcronal)

4. Mitigation is only required to be applied to Craiginmoddie Windfarm in order to achieve the applicable (Non-Financial Involvement) limits at Doughty Farm during the daytime period.

9.1.2.3 Craiginmoddie Windfarm in Isolation – With Management Scheme

5. The 'With Mitigation' results presented in **Table 9.8.7** below are the resulting receptor noise levels with the example Craiginmoddie daytime noise management scheme in operation (see **Table 9.48** of **Chapter 9: Noise** of the Environmental Impact Assessment Report (EIAR)). Night-time results remain unchanged from those in **Table 9.8.4** above.

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	13.0	14.2	19.4	24.2	25.4	25.3	25.1	25.4	26.0	26.0	26.0
Glenmartin	12.5	13.7	18.9	23.7	24.9	24.8	24.6	24.9	25.5	25.5	25.5
The Shielling	11.8	13.0	18.2	23.0	24.3	24.2	24.0	24.3	24.8	24.8	24.8
Knockinculloch Enclosure	19.0	20.2	25.4	30.2	31.3	31.2	31.1	31.3	32.0	32.0	32.0
Glenalla	17.2	18.4	23.6	28.4	29.5	29.5	29.3	29.5	30.2	30.2	30.2
Knokskae	6.1	7.3	12.5	17.3	18.4	18.3	18.1	18.4	19.1	19.1	19.1
Linfairst	4.5	5.7	10.9	15.7	16.7	16.6	16.4	16.7	17.5	17.5	17.5
Genoch Cottage	3.4	4.6	9.8	14.6	15.7	15.6	15.4	15.7	16.4	16.4	16.4
Culdoch Cottage	2.1	3.3	8.5	13.3	14.4	14.2	14.0	14.4	15.1	15.1	15.1
Baing Farm	2.2	3.4	8.6	13.4	14.7	14.6	14.4	14.7	15.2	15.2	15.2
Tairlaw Toll Cottage	2.0	3.2	8.4	13.2	14.2	14.1	13.9	14.2	15.0	15.0	15.0
Tairlaw Toll House	1.9	3.1	8.3	13.1	14.2	14.0	13.9	14.2	14.9	14.9	14.9
Tallaminnoch Cottage	3.2	4.4	9.6	14.4	15.4	15.3	15.1	15.4	16.2	16.2	16.2
Black Row	8.4	9.6	14.8	19.6	20.5	20.2	20.1	20.5	21.4	21.4	21.4
Aldinna	10.8	12.0	17.2	22.0	22.8	22.6	22.4	22.8	23.8	23.8	23.8
White Row	12.9	14.1	19.3	24.1	24.8	24.6	24.4	24.8	25.9	25.9	25.9
Doughty Farm	24.7	25.9	31.1	35.9	36.1	35.8	35.6	36.1	37.7	37.7	37.7
Corphin Cottage	17.5	18.7	23.9	28.7	29.8	29.5	29.4	29.8	30.5	30.5	30.5
Delamford Cottage	19.4	20.6	25.8	30.6	32.0	31.8	31.6	32.0	32.4	32.4	32.4
Dobbingstone Farm	20.6	21.8	27.0	31.8	33.1	33.0	32.8	33.1	33.6	33.6	33.6

Table 9.8.7 Receptor Noise Levels – Craiginmoddie Windfarm -- With Example Craiginmoddie Daytime Management Scheme, L_{A90,T}, dB

9.1.2.4 The Three Proposed Developments (Carrick, Craiginmoddie and Knockcronal) Simultaneously – With Craiginmoddie Daytime Management

6. The 'With Mitigation' results presented in **Table 9.8.8** below are the resulting receptor noise levels with the example Craiginmoddie Windfarm daytime noise management scheme in operation (see **Table 9.48** of **Chapter 9: Noise** of the EIAR). Night-time results remain unchanged from those in **Table 9.8.6** above.

Receptor	Wind Speed Referenced to 10 metres (m) Height (Standardised U ₁₀), m/s										
	2	3	4	5	6	7	8	9	10	11	12
Blair Farm	14.2	16.0	21.0	25.7	27.4	27.4	27.3	27.5	27.8	27.8	27.8
Glenmartin	14.0	15.8	20.8	25.6	27.2	27.2	27.1	27.3	27.7	27.7	27.7
The Shielling	14.0	15.9	20.9	25.6	27.4	27.4	27.3	27.5	27.8	27.8	27.8
Knockinculloch Enclosure	23.1	25.2	30.1	34.9	36.7	36.8	36.7	36.8	37.0	37.0	37.0
Glenalla	24.0	26.1	31.0	35.8	37.7	37.8	37.8	37.8	37.9	37.9	37.9
Knokskae	16.0	24.0	28.0	32.5	35.4	35.8	35.9	35.9	35.9	35.9	35.9
Linfairst	14.6	23.5	27.4	31.9	34.9	35.3	35.4	35.4	35.4	35.4	35.4
Genoch Cottage	14.3	22.1	26.1	30.6	33.5	33.9	34.0	34.0	34.0	34.0	34.0
Culdoch Cottage	11.3	17.1	21.3	25.9	28.5	28.9	28.9	28.9	29.0	29.0	29.0
Baing Farm	12.0	18.3	22.5	27.0	29.8	30.1	30.2	30.2	30.2	30.2	30.2
Tairlaw Toll Cottage	18.5	23.5	27.8	32.4	35.0	35.3	35.4	35.4	35.4	35.4	35.4
Tairlaw Toll House	18.5	23.5	27.8	32.4	35.0	35.3	35.3	35.3	35.3	35.3	35.3
Tallaminnoch Cottage	19.3	22.7	27.3	32.0	34.3	34.5	34.5	34.5	34.5	34.5	34.5
Black Row	14.7	17.0	21.9	26.6	28.5	28.6	28.6	28.7	28.8	28.8	28.8
Aldinna	14.5	16.5	21.4	26.1	27.8	27.9	27.8	28.0	28.3	28.3	28.3
White Row	16.0	17.9	22.8	27.6	29.1	29.1	29.1	29.2	29.7	29.7	29.7
Doughty Farm	25.2	26.5	31.6	36.4	36.9	36.7	36.5	36.9	38.3	38.3	38.3
Corphin Cottage	17.8	19.0	24.2	29.0	30.2	29.9	29.8	30.2	30.8	30.8	30.8
Delamford Cottage	19.6	20.8	26.0	30.8	32.2	32.0	31.9	32.2	32.6	32.6	32.6
Dobbingstone Farm	20.8	22.0	27.2	32.0	33.4	33.2	33.0	33.4	33.8	33.8	33.8

Table 9.8.8 Receptor Noise Levels – Three Proposed Developments – With Example Craiginmoddie Daytime Management Scheme, L_{A90,T}, dB

Carrick Windfarm Project Team

ScottishPower Renewables
9th Floor
320 St Vincent Street
Glasgow
G2 5AD

carrickwindfarm@scottishpower.com

