

# **East Anglia TWO Offshore Windfarm**

## **Appendix 29.3**

### **Visual Assessment**

Preliminary Environmental Information

Volume 3

Document Reference – EA2-DEVWF-ENV-REP-IBR-  
000824\_003

Revision Summary					
Rev	Date	Document Status	Prepared by	Checked by	Approved by
01	11/01/2019	Final Issue	Paolo Pizzolla	Julia Bolton	Helen Walker

Description of Revisions			
Rev	Page	Section	Description
01	n/a	n/a	Final Draft

# Table of Contents

<b>29.3</b>	<b>Visual Assessment</b>	<b>1</b>
29.1	Matters scoped out of the EIA	1
29.2	Preliminary Assessment	1
29.3	Technical Assessment	15

**Appendix 29.3** is supported by the tables listed below.

Table Number	Title
<b>Table A29.1</b>	Preliminary Assessment of Viewpoints (onshore substation and National Grid substation)
<b>Table A29.2</b>	Preliminary Assessment of Settlements (onshore substation and National Grid substation)
<b>Table A29.3</b>	Preliminary Assessment of Transport Routes (onshore substation and National Grid substation)
<b>Table A29.4</b>	Preliminary Assessment of Recreational Routes (onshore substation and National Grid substation)
<b>Table A29.5</b>	Preliminary Assessment of Settlements (onshore cable route)
<b>Table A29.6</b>	Preliminary Assessment of Transport Routes (onshore cable route)
<b>Table A29.7</b>	Preliminary Assessment of Recreational Routes (onshore cable route)
<b>Table A29.8</b>	Preliminary assessment of settlements (landfall)
<b>Table A29.9</b>	Preliminary Assessment of Transport Routes (landfall)
<b>Table A29.10</b>	Preliminary Assessment of Recreational Routes (onshore cable route)
<b>Table A29.11</b>	Operational Visual Effects of Onshore cable route
<b>Table A29.12</b>	Visual effects of onshore cable route on settlements
<b>Table A29.13</b>	Visual effects of onshore cable route on transport routes
<b>Table A29.14</b>	Visual effects of onshore cable route on recreational routes
<b>Table A29.15</b>	Visual effects of landfall on settlements
<b>Table A29.16</b>	Visual effects of landfall on transport routes
<b>Table A29.17</b>	Visual effects of landfall on recreational routes

## Glossary of Acronyms

EIA	Environmental Impact Assessment
ETG	Expert Topic Group
LCT	Landscape Character Types
ZTV	Zone of Theoretical Visibility

## Glossary of Terminology

Applicant	East Anglia TWO Limited.
Construction consolidation sites	Compounds which will contain laydown, storage and work areas for onshore construction works. The HDD construction compound will also be referred to as a construction consolidation site.
Development area	The area comprising the proposed onshore development area and the offshore development area
East Anglia TWO project	The proposed project consisting of up to 75 wind turbines, up to four offshore electrical platforms, up to one offshore construction, operation and maintenance platform, inter-array cables, platform link cables, up to one operational meteorological mast, up to two offshore export cables, fibre optic cables, landfall infrastructure, onshore cables and ducts, onshore substation, and National Grid infrastructure.
European site	Sites designated for nature conservation under the Habitats Directive and Birds Directive, as defined in regulation 8 of the Conservation of Habitats and Species Regulations 2017 and regulation 18 of the Conservation of Offshore Marine Habitats and Species Regulations 2017. These include candidate Special Areas of Conservation, Sites of Community Importance, Special Areas of Conservation and Special Protection Areas.
Evidence Plan Process	A voluntary consultation process with specialist stakeholders to agree the approach to the EIA and the information required to support HRA.
Horizontal directional drilling (HDD)	A method of cable installation where the cable is drilled beneath a feature without the need for trenching.
Jointing bay	Underground structures constructed at regular intervals along the onshore cable route to join sections of cable and facilitate installation of the cables into the buried ducts.
Landfall	The area (from Mean Low Water Springs) where the offshore export cables would make contact with land, and connect to the onshore cables.
Link boxes	Underground chambers or above ground cabinets next to the cable trench housing electrical earthing links.
Mitigation areas	Areas captured within the Development Area specifically for mitigating expected or anticipated impacts.
National Grid infrastructure	A National Grid substation, connection to the existing electricity pylons and National Grid overhead line realignment works which will be consented as part of the proposed East Anglia TWO project Development Consent Order but will be National Grid owned assets.
National Grid overhead line realignment works	Works required to upgrade the existing electricity pylons and overhead lines to transport electricity from the National Grid substation to the national electricity grid
National Grid overhead line realignment works area	The proposed area for National Grid overhead line realignment works.

National Grid substation	The substation (including all of the electrical equipment within it) necessary to connect the electricity generated by the proposed East Anglia TWO project to the national electricity grid which will be owned by National Grid but is being consented as part of the proposed East Anglia TWO project Development Consent Order.
National Grid substation location	The proposed location of the National Grid substation.
Natura 2000 site	A site forming part of the network of sites made up of Special Areas of Conservation and Special Protection Areas designated respectively under the Habitats Directive and Birds Directive.
Onshore cable corridor	The corridor within which the onshore cable route will be located.
Onshore cable route	This is the construction swathe within the onshore cable corridor which would contain onshore cables as well as temporary ground required for construction which includes cable trenches, haul road and spoil storage areas.
Onshore cables	The cables which would bring electricity from landfall to the onshore substation. The onshore cable is comprised of up to six power cables and two fibre optic cables.
Proposed onshore development area	The area in which the landfall, onshore cable corridor, onshore substation, mitigation areas, temporary construction facilities (such as access roads and construction consolidation sites), and the National Grid Infrastructure will be located.
Onshore infrastructure	The combined name for all of the onshore infrastructure associated with the proposed East Anglia TWO project from landfall to the connection to the national electricity grid.
Onshore substation	The East Anglia TWO substation and all of the electrical equipment, both within and connecting to the National Grid infrastructure.
Onshore substation location	The proposed location of the onshore substation for the proposed East Anglia TWO project.
SuDS – Sustainable Drainage System	Approaches to manage surface water that take account of water quantity (flooding), water quality (pollution) biodiversity (wildlife and plants) and amenity
Transition bay	Underground structures at the landfall that house the joints between the offshore export cables and the onshore cables.

## 29.3 Visual Assessment

### 29.1 Matters scoped out of the EIA

1. The Planning Inspectorate has provided comments in their Scoping Opinion (Planning Inspectorate 2017) on matters that can be scoped out of the Environmental Impact Assessment (EIA) and has agreed that the following landscape and visual matters can be scoped out of the assessment:
  - Landscape and visual effects of the landfall during operation; and
  - Landscape and visual effect of the onshore cable route during operation (with the exception of the removal of woodland at the Aldeburgh Road crossing (Raidsend) which is assessed as an operational effect).
2. In both cases, following remediation works, the underground infrastructure at the landfall and within the onshore cable route is unlikely to result in significant effects and these matters can be scoped out of the assessment, as agreed with the Planning Inspectorate. These matters are not assessed any further in the technical assessments in this **Appendix 29.2 – 29.4** or in **Chapter 29 Landscape and Visual Impact Assessment**.

### 29.2 Preliminary Assessment

#### 29.2.1 Defining Study Area

3. The LVIA study area extends to a 3km buffer beyond the edge of the proposed onshore development area and is shown in **Figure 29.1**. This study area has been agreed for the LVIA as part of the SLVIA Expert Topic Group (ETG) consultations and submission of the Scoping Report (SPR, 2017). The LVIA study area defines a limit, based on professional judgement, beyond which it is considered unlikely for significant effects of development within the LVIA study area to arise. This judgement is based on knowledge of similar projects, an understanding of the character of the local landscape and the scale of the construction and development proposed within the onshore study area.

#### 29.2.2 Impact Assessment Scenarios

4. This appendix provides a project alone assessment of the landscape impact of the proposed East Anglia TWO project onshore infrastructure i.e. the impact of the onshore substation, National Grid infrastructure and onshore cable route.
5. Cumulative impact assessment scenarios of the proposed East Anglia TWO project and proposed East Anglia ONE North project are assessed separately in **Appendix 29.4** in two scenarios:



- Scenario 1 – East Anglia TWO and ONE North projects are constructed at the same time i.e. the impact of the East Anglia TWO and ONE North onshore substations together, the National Grid Substation and onshore cable route/ducts for both projects.
  - Scenario 2 – East Anglia TWO project is built entirely and the land is reinstated, then East Anglia ONE North project is constructed.
6. A further cumulative assessment scenario is also assessed – the effects of the East Anglia TWO project and the East Anglia ONE North project with Sizewell C New Nuclear Power Station, EDF Energy's proposals for a new nuclear power station.

### 29.2.3 Potential Impacts during Construction and Operation

7. A preliminary assessment of the potential effects of the onshore infrastructure visual receptors and viewpoints in the study area has been undertaken using ZTV analysis (**Figure 29.9**) and site survey, to identify which of the visual receptors and viewpoints are likely to be affected by the proposed East Anglia TWO project onshore infrastructure. This preliminary assessment is presented in **sections 29.2.3.1 to 29.2.3.3**, which identifies the visual receptors and viewpoints that have the potential to undergo significant effects as a result of the proposed East Anglia TWO project onshore infrastructure and require to be assessed in full; and those that do not have potential to undergo potential significant effects that can be scoped out of further assessment.
8. The preliminary assessment which follows in **sections 29.2.3.1 to 29.2.3.3** considers the potential visual effects of each of the onshore substation and National Grid substation during the construction and operational stage, and the onshore cable route and landfall during the construction stage. The removal of woodland at the Aldeburgh Road crossing (Raidsend) due to the onshore cable route which is assessed as an operational effect.

#### 29.2.3.1 Onshore Substation and National Grid Substation

##### 29.2.3.1.1 Preliminary Assessment – Viewpoints

9. A preliminary assessment of the potential visual effects of the onshore substation and National Grid substation from agreed representative viewpoints within the study area (**Figure 29.4** and **Figures 29.13-29.25**) is presented in **Table A29.1**. Effects arising from the onshore cable route construction have been factored into the viewpoint assessment where visible in the view.

**Table A29.1 Preliminary Assessment of Viewpoints (onshore substation and National Grid substation)**

Viewpoint	Grid Reference	Distance from the onshore substation	Distance from the National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
<b>Representative viewpoints</b>					
1	Public Right of Way near Friston House 641169 260794	403m	362m	The onshore substation and National Grid substation likely to be highly visible.	Potential for significant effects that require further assessment.
2	Friston, Church Road 641319 260543	538m	613m	The onshore substation and National Grid substation likely to be highly visible.	Potential for significant effects that require further assessment.
3	Grove Road, near Pear Tree Farm 641657 261801	497m	422m	Likely to be limited visibility of the onshore substation and National Grid substation due to extensive screening by intervening woodland.	No potential for significant effects - scoped out of further assessment.
4	Friston, Grove Road 641498 260531	528m	672m	The onshore substation and National Grid substation likely to be partially visible	Potential for significant effects that require further assessment.
5	Public Right of Way, near Moor Farm 640884 261654	652m	474m	The onshore substation and National Grid substation likely to be highly visible.	Potential for significant effects that require further assessment.
6	Friston, Village Green 641198 260337	772m	814m	The onshore substation and National Grid substation likely to be partially visible.	Potential for significant effects that require further assessment.
7	Public Right of Way, east of Friston 641877 260560	639m	849m	Likely to be limited/no visibility of the onshore substation and National Grid substation due to extensive screening by intervening woodland.	No potential for significant effects - scoped out of further assessment.

Viewpoint	Grid Reference	Distance from the onshore substation	Distance from the National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment	
8	B1121 Saxmundham Road, north of Friston	640477 260862	958m	791m	The onshore substation and National Grid substation likely to be highly visible.	Potential for significant effects that require further assessment.
9	B1121 Aldeburgh Road, south of Friston	641464 259905	1.1km	1.3km	The onshore substation and National Grid substation likely to be partially visible.	Potential for significant effects that require further assessment.
10	B1119 Saxmundham Road	641095 262490	1.2km	1.1km	The onshore substation and National Grid substation likely to be partially visible.	Potential for significant effects that require further assessment.
11	Knodishall Hall	642535 261903	1.2km	1.2km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to extensive screening by intervening woodland.	No potential for significant effects - scoped out of further assessment.
12	Knodishall Common	642952 260979	1.3km	1.5km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to extensive screening by intervening woodland.	No potential for significant effects - scoped out of further assessment.
13	B1069 Snape Road	642372 259880	1.5km	1.7km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to extensive screening by intervening woodland.	No potential for significant effects - scoped out of further assessment.

10.A technical assessment of the visual effects of the onshore substation and National Grid substation on Viewpoints 1, 2, 4, 5, 6, 8, 9 and 10 is provided in **section 29.3.1.1**.

29.2.3.1.2 Preliminary Assessment – Settlements

11. A preliminary assessment of the potential visual effects of the onshore substation and National Grid substation on the principal settlement receptors within the study area is presented in **Table A29.2**. Settlements are shown with the ZTV for the onshore substation and National Grid substation in **Figure 29.9** and photomontage visualisations are shown in **Figures 29.13 – 29.25**.

**Table A29.2 Preliminary Assessment of Settlements (onshore substation and National Grid substation)**

Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
<b>Suffolk</b>			
Aldeburgh	4.7km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Aldeburgh.	No potential for significant effects - scoped out of further assessment.
Aldringham	2.7km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
Benhall Green	2.8km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
Coldfair Green (refer to Viewpoint 11)	1.4km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
Friston (refer to Viewpoints 1, 2, 4, 6 and 9)	430m	The onshore substation and National Grid substation likely to be visible.	Potential for significant effects that require further assessment.
Leiston	2.4km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.

Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
Knodishall (refer to Viewpoint 11,)	1.2km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Knodishall.	No potential for significant effects - scoped out of further assessment.
Saxmundham	2.9km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Saxmundham.	No potential for significant effects - scoped out of further assessment.
Sizewell	6.0km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Sizewell.	No potential for significant effects - scoped out of further assessment.
Snape	2.6km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Snape.	No potential for significant effects - scoped out of further assessment.
Thorpeness	5.2km	None. The onshore substation and National Grid substation will not be visible in views experienced by residents of Thorpeness.	No potential for significant effects - scoped out of further assessment.

12.A technical assessment of the visual effects of the onshore substation and National Grid substation on residents of the settlement of Friston is provided in **section 29.3.1.1.2**.

#### 29.2.3.1.3 Preliminary Assessment –Transport Routes

13.A preliminary assessment of the potential visual effects of the onshore substation and National Grid substation on the transport routes within the study area is presented in **Table A29.3**. Transport routes are shown with the ZTV for the onshore substation and National Grid substation in **Figure 29.9**.

**Table A29.3 Preliminary Assessment of Transport Routes (onshore substation and National Grid substation)**

Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
<b>Suffolk</b>			
A12	3.3km	Theoretical visibility over 850m stretch of A12 south of Saxmundham at relatively long distance, such that scale of any potential changes are likely to be of low magnitude.	No potential for significant effects - scoped out of further assessment.
A1094 Aldeburgh / Farnham Road	1.6km	Intermittent theoretical visibility over 2.2km stretch of A1094 between Church Common and Friston (B1121, such that scale of any potential changes are likely to be of low magnitude.	No potential for significant effects - scoped out of further assessment.
B1069 Snape Road (refer to Viewpoint 13)	1.5km	Limited/no theoretical visibility from B1069 due to intervening screening by Grove Wood.	No potential for significant effects - scoped out of further assessment.
B1119 Saxmundham Road (refer to Viewpoint 10)	1.1km	Intermittent theoretical visibility over 4.5km stretch of B1119 between Saxmundham and Leiston, such that scale of any potential changes are likely to be of low magnitude.	No potential for significant effects - scoped out of further assessment.
B1121 Aldeburgh / Saxmundham Road (refer to Viewpoints 6, 8 and 9)	585m	Intermittent theoretical visibility over 2.3km stretch of B1121 between A1094, Friston and Sternfield with substantial intervening screening by woodland and built development.	Potential for significant effects that require further assessment.
B1122 Aldeburgh Road	2.9 km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
B1353 Thorpeness Road	2.1km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.

Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
Grove Road (refer to Viewpoints 3 and 4)	100m	Potential for high visibility of the onshore substation and National Grid substation between Friston (Viewpoint 4) and School Road junction (Viewpoint 3).	Potential for significant effects that require further assessment.
Lowestoft to Ipswich rail line	3.2km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.

14.A technical assessment of the visual effects of the onshore substation and National Grid substation on motorists travelling on the B1121 and Grove Road is provided in **section 29.3.1.1.3**.

#### 29.2.3.1.4 Preliminary Assessment – Recreational Routes

15. A preliminary assessment of the potential visual effects of the onshore substation and National Grid substation on the main recreational routes within the study area is presented in **Table A29.4**. Recreational routes are shown with the ZTV for the onshore substation and National Grid substation in **Figure 29.9**.

**Table A29.4 Preliminary Assessment of Recreational Routes (onshore substation and National Grid substation)**

Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
<b>Suffolk</b>			
Suffolk Coastal Path	2.8km	Likely to be limited/no visibility of the onshore substation and National Grid substation due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
Sandling's Walk (refer to Viewpoint 7)	630m	Potential for visibility of the onshore substation and National Grid substation between Friston and Knodishall (to the east) and between Friston and A1094 (Farnham Road) (to the west).	Potential for significant effects that require further assessment.



Visual receptor	Distance from the onshore substation / National Grid substation	Potential influence of the onshore substation / National Grid substation	Preliminary Assessment
Suffolk Coastal Cycle Route (Regional Route 42)  (refer to Viewpoints 3, 4 and 11)	100m	Potential for high visibility of the onshore substation and National Grid substation from section of route along Grove Road between Friston (Viewpoint 4) and School Road junction (Viewpoint 3).	Potential for significant effects that require further assessment.

16.A technical assessment of the visual effects of the onshore substation and National Grid substation on people walking on the Sandling’s Walk and cycling on the Suffolk Coastal Cycle Route (Regional Route 42) is provided in **section 29.3.1.1.4**.

### 29.2.3.2 Onshore cable route

#### 29.2.3.2.1 Preliminary Assessment – Settlements

17.A preliminary assessment of the potential visual effects of the onshore cable route on the principal settlement receptors within the study area is presented in **Table A29.5**.

**Table A29.5 Preliminary Assessment of Settlements (onshore cable route)**

Visual receptor	Distance from onshore cable route	Potential influence of the onshore cable route	Preliminary Assessment
<b>Suffolk</b>			
Aldeburgh	2.5km	None. The onshore cable route construction will not be visible in views experienced by residents of Aldeburgh.	No potential for significant effects - scoped out of further assessment.
Aldringham	Onshore cable route passes edge of settlement	Potential for visual impact during construction of onshore cable route, which passes to the immediate east and south of Aldringham, crossing the Aldeburgh Road (B1122) at Raldsend/Aldringham Court.	Potential for significant effects that require further assessment.
Benhall Green	2.7km	None. The onshore cable route construction will not be visible in views experienced by residents of Benhall Green.	No potential for significant effects - scoped out of further assessment.
Coldfair Green	Onshore cable route passes	Potential for visual impact during construction of onshore cable route, which passes to the	Potential for significant effects that require further assessment.



Visual receptor	Distance from onshore cable route	Potential influence of the onshore cable route	Preliminary Assessment
	edge of settlement	immediate south and west of Coldfair Green.	
Friston	Onshore cable route passes edge of settlement	Potential for visual impact during construction of onshore cable route, which passes to the immediate north and north-east of Friston.	Potential for significant effects that require further assessment.
Leiston	Onshore cable route passes edge of settlement	Potential for visual impact during construction of onshore cable route, which passes to the immediate south-east of Leiston.	Potential for significant effects that require further assessment.
Knodishall	245m	Limited potential for visual impact during construction of onshore cable route due to extent of vegetative screening within and around dwellings, which screen views of the onshore cable route passing to the south of Knodishall and due to the location of the existing overhead transmission line.	No potential for significant effects - scoped out of further assessment.
Saxmundham	3.4km	None. The onshore cable route construction will not be visible in views experienced by residents of Saxmundham.	No potential for significant effects - scoped out of further assessment.
Sizewell	335m	None. The onshore cable route construction will not be visible in views experienced by residents of Sizewell.	No potential for significant effects - scoped out of further assessment.
<b>Snape</b>	2.6km	None. The onshore cable route construction will not be visible in views experienced by residents of Snape.	No potential for significant effects - scoped out of further assessment.
<b>Thorpeness</b>	730m	None. The onshore cable route construction will not be visible in views experienced by residents of Thorpeness.	No potential for significant effects - scoped out of further assessment.

18.A technical assessment of the visual effects of the construction of the onshore cable route on the residents of Aldringham, Coldfair Green, Friston, Leiston and Knodishall is provided in **section 29.3.2.1.1**.

#### 29.2.3.2.2 Preliminary Assessment –Transport Routes

19.A preliminary assessment of the potential visual effects of the onshore cable route on the transport routes within the study area is presented in **Table A29.6**.

**Table A29.6 Preliminary Assessment of Transport Routes (onshore cable route)**

Visual receptor	Distance from onshore cable route	Potential influence of the onshore cable route	Preliminary Assessment
<b>Suffolk</b>			
A12	3.4km	None. The onshore cable route construction will not be visible in views experienced by motorists travelling on the A12.	No potential for significant effects - scoped out of further assessment.
A1094 Aldeburgh / Farnham Road	1.0km	Likely to be limited visibility of the onshore cable route construction due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
B1069 Snape Road	Onshore cable route crosses road	Likely to be visibility of the onshore cable route construction where it crosses the B1069 to the south of Coldfair Green.	Potential for significant effects that require further assessment.
B1119 Saxmundham Road	1.0km	Likely to be limited visibility of the onshore cable route construction due to distance and intervening screening by woodland and built development.	No potential for significant effects - scoped out of further assessment.
B1121 Aldeburgh / Saxmundham Road	365m	Likely to be visibility of the onshore cable route construction in views from B1121 to the immediate south and north of Friston, where the B1121 runs parallel to the onshore cable route.	Potential for significant effects that require further assessment.
B1122 Aldeburgh Road	Onshore cable route crosses road	Likely to be visibility of the onshore cable route construction where it crosses the B1122 to the south of Aldringham and the physical changes resulting from felling of woodland at Raldsend/Aldringham Court adjacent to the road.	Potential for significant effects that require further assessment.
B1353 Thorpeness Road	Onshore cable route crosses road	Likely to be visibility of the onshore cable route construction where it crosses the B1353 between Aldringham and Thorpeness.	Potential for significant effects that require further assessment.
Lowestoft to Ipswich rail line	3.4km	None. The onshore cable route construction will not be visible in views experienced by passengers travelling on the Lowestoft to Ipswich line.	No potential for significant effects - scoped out of further assessment.

20. A technical assessment of the visual effects of the construction of the onshore cable route on motorists travelling on the B1069, B1121, B1122 and B1353 is provided in **section 29.3.2.1.2**.

#### 29.2.3.2.3 Preliminary Assessment – Recreational Routes

21. A preliminary assessment of the potential visual effects of the onshore cable route on the main recreational routes within the study area is presented in **Table A29.7**.

**Table A29.7 Preliminary Assessment of Recreational Routes (onshore cable route)**

Visual receptor	Distance from onshore cable route	Potential influence of the onshore cable route	Preliminary Assessment
<b>Suffolk</b>			
Suffolk Coastal Path	Onshore cable route crosses recreational route	Likely to be visibility of the onshore cable route construction where it crosses the Suffolk Coastal Path between Thorpeness and Sizewell.	Potential for significant effects that require further assessment.
Sandling's Walk (Viewpoint 7)	Onshore cable route crosses recreational route	Likely to be visibility of the onshore cable route construction where it crosses the Sandling's Walk at two sections, between Thorpeness and Sizewell; and between Coldfair Green and Friston.	Potential for significant effects that require further assessment.
Suffolk Coastal Cycle Route (Regional Route 42) Viewpoints 3, 4 and 11)	Onshore cable route crosses recreational route	Likely to be visibility of the onshore cable route construction where it crosses the Suffolk Coastal Cycle Route at Grove Road.	Potential for significant effects that require further assessment.

22. A technical assessment of the visual effects of the construction of the onshore cable route on people walking on the Suffolk Coastal Path and the Sandling's Walk; and cycling on Suffolk Coastal Route (Regional Route 42) is provided in **section 29.3.2.1.3**.

#### 29.2.3.3 Landfall Location

##### 29.2.3.3.1 Preliminary Assessment – Settlements

23. A preliminary assessment of the potential visual effects of the landfall on the principal settlement receptors within the study area is presented in **Table A29.8**.

**Table A29.8 Preliminary assessment of settlements (landfall)**

Visual receptor	Distance from landfall	Potential influence of the landfall	Preliminary Assessment
<b>Suffolk</b>			
Aldeburgh	2.6km	None. The construction of the landfall will not be visible in views experienced by residents of Aldeburgh.	No potential for significant effects - scoped out of further assessment.
Aldringham	1.8km	None. The construction of the landfall will not be visible in views experienced by residents of Aldringham.	No potential for significant effects - scoped out of further assessment.
Benhall Green	7.9km	None. The construction of the landfall will not be visible in views experienced by residents of Benhall Green.	No potential for significant effects - scoped out of further assessment.
Coldfair Green	2.5km	None. The construction of the landfall will not be visible in views experienced by residents of Coldfair Green.	No potential for significant effects - scoped out of further assessment.
Friston	5.0km	None. The construction of the landfall will not be visible in views experienced by residents of Friston.	No potential for significant effects - scoped out of further assessment.
Leiston	2.0km	None. The construction of the landfall will not be visible in views experienced by residents of Leiston.	No potential for significant effects - scoped out of further assessment.
Knodishall	4.0km	None. The construction of the landfall will not be visible in views experienced by residents of Knodishall.	No potential for significant effects - scoped out of further assessment.
Saxmundham	8.0km	None. The construction of the landfall will not be visible in views experienced by residents of Saxmundham.	No potential for significant effects - scoped out of further assessment.
Sizewell	1.7km	None. The construction of the landfall will not be visible in views experienced by residents of Sizewell.	No potential for significant effects - scoped out of further assessment.
Snape	6.9km	None. The construction of the landfall will not be visible in views experienced by residents of Snape.	No potential for significant effects - scoped out of further assessment.
Thorpeness	Landfall is located to immediate	Potential for visual impact during construction of landfall, which is	Potential for significant effects that require further assessment.

Visual receptor	Distance from landfall	Potential influence of the landfall	Preliminary Assessment
	north of settlement	located to the immediate north of Thorpeness.	

24. A technical assessment of the visual effects of the construction of the landfall on residents of Thorpeness is provided in **section 29.3.2.2.1**.

#### 29.2.3.3.2 Preliminary Assessment –Transport Routes

25. A preliminary assessment of the potential visual effects of the landfall on the transport routes within the study area is presented in **Table A29.9**.

**Table A29.9 Preliminary Assessment of Transport Routes (landfall)**

Visual receptor	Distance from landfall	Potential influence of the landfall	Preliminary Assessment
<b>Suffolk</b>			
A12	8.6km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the A12.	No potential for significant effects - scoped out of further assessment.
A1094 Aldeburgh / Farnham Road	3.0km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the A1094.	No potential for significant effects - scoped out of further assessment.
B1069 Snape Road	2.8km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the B1069.	No potential for significant effects - scoped out of further assessment.
B1119 Saxmundham Road	3.0km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the B1119.	No potential for significant effects - scoped out of further assessment.
B1121 Aldeburgh / Saxmundham Road	4.8km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the B1121.	No potential for significant effects - scoped out of further assessment.
B1122 Aldeburgh Road	1.7km	None. The construction of the landfall will not be visible in views experienced by motorists travelling on the B1122.	No potential for significant effects - scoped out of further assessment.
B1353 Thorpeness Road	Landfall is located to immediate north of road	Likely to be visibility of the construction of the landfall to the immediate north of the road near Thorpeness.	Potential for significant effects that require further assessment.
Lowestoft to Ipswich rail line	8.6km	None. The construction of the landfall will not be visible in	No potential for significant effects - scoped out of further assessment.

Visual receptor	Distance from landfall	Potential influence of the landfall	Preliminary Assessment
		views experienced by passengers travelling on the Lowestoft to Ipswich line.	

26. A technical assessment of the visual effects of the construction of the landfall on motorists travelling on the B1353 is provided in **section 29.3.2.2.2**.

#### 29.2.3.3.3 Preliminary Assessment – Recreational Routes

27. A preliminary assessment of the potential visual effects of the landfall on the main recreational routes within the study area is presented in **Table A29.10**.

**Table A29.10 Preliminary Assessment of Recreational Routes (onshore cable route)**

Visual receptor	Distance from landfall	Potential influence of the landfall	Preliminary Assessment
<b>Suffolk</b>			
Suffolk Coastal Path	Recreational route crosses landfall	Likely to be visibility of the construction of the landfall where the Suffolk Coastal Path crosses the landfall between Thorpeness and Sizewell.	Potential for significant effects that require further assessment.
Sandling's Walk (Viewpoint 7)	500m	Likely to be visibility of the construction of the landfall where the Sandling's Walk is located in close proximity to the north of the landfall, between Thorpeness and Sizewell.	Potential for significant effects that require further assessment.
Suffolk Coastal Cycle Route (Regional Route 42) Viewpoints 3, 4 and 11)	3.9km	None. The construction of the landfall will not be visible in views experienced by cyclists on the Suffolk Coastal Cycle Route.	No potential for significant effects - scoped out of further assessment.

28. A technical assessment of the visual effects of the construction of the landfall on people walking on the Suffolk Coastal Path and the Sandling's Walk is provided in **section 29.3.2.2.3**.

## 29.3 Technical Assessment

### 29.3.1 Potential Impacts during Construction and Operation

29. A detailed technical assessment of the visual effects of the proposed East Anglia TWO project onshore infrastructure is set out in the remaining technical assessment section of this Appendix. This describes, in full technical detail, the likely significant effects of the East Anglia TWO project onshore infrastructure on

each visual receptor and viewpoint, assessing those that were identified in the preliminary assessment in **section 1** as having potential to be significantly affected. The technical assessment which follows in **sections 29.3.1.1 to 29.3.2.2.3**, considers the visual effects of each of the onshore substation and National Grid substation, onshore cable route and landfall.

### 29.3.1.1 Onshore Substation and National Grid Substation

30. An assessment of the visual effects of the onshore substation and National Grid substation from agreed representative viewpoints (**Figure 29.4**) within the study area is presented in the following technical assessment.

#### 29.3.1.1.1 Viewpoint Assessment

#### Viewpoint 1 Public Right of Way near Friston House

Viewpoint 1 Public Right of Way near Friston House				
Designations:	None	Grid reference:	E: 641169	N: 260794
LCT:	Estate Sandlands (7)	View direction:	28°	
		Distance to the onshore substation:	403m	
Receptors:	Viewpoint is representative of views experienced by people walking on the Public Right of Way (PRoW) along the eastern boundary of the grounds of Friston House and residents of dwellings on lane extending to Woodside Farm.			
Baseline description (existing view is shown in <b>Figure 29.13a</b> ):				
<ul style="list-style-type: none"> <li>• Open view across medium to large scale, arable agricultural fields, enclosed by hedgerows and scattered hedgerow trees, in a regular pattern with straight boundaries. Clipped hedgerows, regular pattern and arable use of fields create the impression of a well maintained/managed landscape.</li> <li>• The landscape is well wooded, with a large stand of ancient, semi-natural woodland at Grove Wood and the adjoining woodland of Laurel Covert forming the backdrop and providing enclosure of the view. Other smaller stands of woodland and thicker areas of hedgerow combine to provide further wooded cover.</li> <li>• The landform is a gently undulating plateau, rising gradually to the north.</li> <li>• The skyline of the view is traversed by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines strung across the skyline of the view.</li> <li>• The composition of the view is relatively simple, consisting mainly of agricultural fields, woodland and sky, although it is interrupted by the tall vertical pylons behind the wooded backdrop.</li> <li>• There is relatively little built development visible, with just Moor Farm (Fristonmoor) forming a focal point on the skyline. Its vernacular building style of dark weatherboard and red-tiled roof are distinctive.</li> </ul>				
Sensitivity to change: <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium			
<ul style="list-style-type: none"> <li>• The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>• It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>• The view is incidental to the walk along the PRoW, which forms part of a wider loop and network of PRoW that are likely to be used by a moderate number of people locally. The rural setting and</li> </ul>				



<p>views from this PRow network are likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character.</p> <ul style="list-style-type: none"> <li>The view displays traditional rural qualities and some scenic interest arising from the interaction of the arable agricultural fields in the setting of a large areas of semi-natural, ancient woodland, while also being influenced by the high voltage overhead transmission line traversing the skyline.</li> </ul>		
Receptor	Susceptibility to change	Sensitivity to change
People walking on PRow near Friston House:	Medium-high	Medium-high
Residents of dwellings on lane to Woodside Farm:	High	High
<b>Magnitude of change:</b>		
Geographic extent:	Short distance/local extent	
<p>The onshore substation will be visible at short distance and local extent, located at a distance of approximately 206m and is located to the north-east of the viewpoint. The view of the onshore substation is representative of views from a localised area on the northern edge of Friston near Friston House.</p>		
Magnitude of change (construction):	High (during construction period)	
<ul style="list-style-type: none"> <li>The construction of the onshore substation, National Grid substation, access road and onshore cable route will be visible in close proximity, in the foreground of the view.</li> <li>The construction of the onshore infrastructure will result in a large-scale change in the view, due to the size, extent and close proximity of the onshore substation, National Grid substation and construction compounds, together with fencing, access road, vehicles, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period, which come closer to the viewpoint than the onshore substation.</li> <li>During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the substation platforms, GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure, such that electrical infrastructure becomes the prevailing feature of the view.</li> <li>National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts. The installation of sealing end compounds will also be visible to connect the National Grid substation to the existing high-voltage transmission line.</li> <li>The construction of the onshore infrastructure will result in some changes in ground profiles within and immediately around the onshore substation and National Grid substation. The construction of the SUDs pond will be visible in the immediate foreground of the view.</li> <li>Physical loss of hedgerows will be visible in the onshore construction corridor and National Grid substation.</li> <li>Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>		
Magnitude of change (operation, without mitigation):	High	
<b>(Figure 29.13b)</b>		
<ul style="list-style-type: none"> <li>The operational onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view.</li> <li>The operation of the onshore infrastructure will result in a large-scale change in the view, due to the size, extent and close proximity of the onshore substation, National Grid substation, together with fencing, access road and operation and maintenance (O&amp;M) vehicles during the operational period.</li> <li>During the operational period, the complex built form of the onshore substation and National Grid substation, including GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc) will be the prevailing feature of the view.</li> <li>National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower. The sealing end compounds will also be visible connecting the National Grid substation to the existing high-voltage transmission line.</li> </ul>		



<ul style="list-style-type: none"> <li>The onshore infrastructure will have resulted in some changes in ground profiles within and immediately around the onshore substation and National Grid substation. The SUDs pond will be visible in the immediate foreground of the view.</li> <li>Woodland and hedgerows planted during construction will be present around the onshore substation (as per the landscape plan in <b>Figure 29.11</b>), including on ground in the foreground of the view, but will have limited influence as landscape components/screening features until at least 5 years post-planting.</li> <li>The onshore substation and National Grid substation will be viewed against the backdrop of semi-natural ancient woodland, which provides some mitigation though its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation.</li> <li>Lighting of the onshore substation will be visible at night, but this is assumed to be passive lighting (passive infra-red) and the onshore substation will not be permanently lit at night.</li> <li>The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation): ( <b>Figure 29.13c</b> )		None	
<ul style="list-style-type: none"> <li>Mitigation woodland planting around the SUDs pond will be located in the immediate foreground of the view and is predicted to entirely screen the view of the onshore substation and National Grid substation. Note that the mitigation woodland planting belt which will be in the immediate foreground of the view (directly in front of the viewpoint) is not shown in the photomontage in <b>Figure 29.13c</b>, to allow illustration of the wider landscape mitigation planting around the onshore substation site.</li> <li>Mitigation planting will reduce the magnitude of change to none after approximately 15 years post-construction, when the woodland planting is predicted to have grown to provide screening of the onshore substation and National Grid substation in the view.</li> </ul>			
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
People walking on PRow near Friston House:	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent
Residents of dwellings on lane to Woodside Farm:	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent

## Viewpoint 2 Friston, Church Road

Viewpoint 2 Friston, Church Road				
Designations:	None	Grid reference:	E: 641319	N: 260543
LCT:	Estate Sandlands (7)	View direction:	6°	
		Distance to the onshore substation:	538m	
Receptors:	Viewpoint is representative of views experienced by people walking on the PRow that leads north out of Friston and to residents of Friston, particularly dwellings along Church Road and the lane that extends north to Woodside Farm.			
Baseline description (existing view is shown in <b>Figure 12.14a</b> ):				
<ul style="list-style-type: none"> <li>Distinctively rural setting with perceived timeless quality of rural elements, interrupted only by the modern overhead pylons on the skyline. Juxtaposition of strongly rural landscape</li> </ul>				

<p>elements/character in the foreground with the modern influence of energy transmission in the backdrop.</p> <ul style="list-style-type: none"> <li>• Small scale field pattern of plots on the northern edge of Friston, informally enclosed by post and wire fences, giving way to more formal, regular and well-maintained hedgerow field boundaries.</li> <li>• Large area of semi-natural ancient at Grove Wood, together with the adjoining Laurel Covert woodland, forms the backdrop and encloses the view, creating the impression of a well-wooded landscape, reinforced by scattered, mature, deciduous trees and shelterbelt blocks.</li> <li>• Undulating landform, rising gradually to the north out of Friston, which provides some localised enclosure in the landscape.</li> <li>• The skyline of the view is traversed by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines strung across the skyline of the view.</li> <li>• There is relatively little built development visible, with dwellings on the edge of Friston and Moor Farm (Fristonmoor) forming a focal point on the skyline. The vernacular building style of dark weatherboard and red-tiled rooves is distinctive.</li> </ul>		
<p><b>Sensitivity to change:</b> <i>Combination of the value of the view and the susceptibility of each visual receptor</i></p>		
Value:	Medium	
<ul style="list-style-type: none"> <li>• The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>• It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>• The view is representative of the view experienced by residents on the northern edges of Friston, particularly dwellings along Church Road and the lane that extends north to Woodside Farm. The view is specific to these areas and to a relatively limited number of people, however the rural setting of the view is likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character and setting of their place of residence.</li> <li>• The view displays traditional rural qualities and scenic interest arising from the strongly rural landscape character and setting of the ancient woodland, which provide a timeless quality, interrupted only by their interaction with more recent high voltage overhead transmission line development traversing the skyline.</li> </ul>		
Receptor	Susceptibility to change	Sensitivity to change
People walking on the PRow that leads north out of Friston:	Medium-high	Medium-high
Residents of Friston (Church Road area):	High	High
<p><b>Magnitude of change:</b></p>		
Geographic extent:	Short distance/local extent	
<p>The onshore substation will be visible at short distance and local extent, located at a distance of approximately 403m and is located to the north of the viewpoint. The view of the onshore substation is representative of views from a localised area on the northern edge of Friston near Church Road.</p>		
Magnitude of change (construction):	Medium-high (during construction period)	
<ul style="list-style-type: none"> <li>• The construction of the onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view and will be partially screened by layers of intervening hedgerows and mature field boundary trees. Construction of the onshore cable route is unlikely to be visible due to the intervening screening by hedgerows.</li> <li>• Although there is considerable intervening screening, which breaks up the view of the onshore substation, the construction of the onshore substation and National Grid substation will result in a medium-large scale change in the view, due to their size, extent and proximity, together with the additional influence of fencing, the access road, vehicles, accommodation, machinery and cranes needed during the construction period.</li> <li>• During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the substation platforms, GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure, such that electrical</li> </ul>		

<p>infrastructure will become a prominent influence on the view, set behind and partially screened by intervening hedgerows and mature trees.</p> <ul style="list-style-type: none"> <li>• National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts. The installation of sealing end compounds will also be visible to connect the National Grid substation to the existing high-voltage transmission line.</li> <li>• Changes in ground profiles within and immediately around the onshore substation and National Grid substation will be difficult to see in the view due to the amount of foreground screening. The construction of the SUDs pond will be visible to the left of the view.</li> <li>• Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>	
<p>Magnitude of change (operation, without mitigation): <b>(Figure 29.14b)</b></p>	<p>Medium-high</p>
<ul style="list-style-type: none"> <li>• The operational onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view.</li> <li>• The operation of the onshore infrastructure will result in a medium-high change in the view, due to the size, extent and close proximity of the onshore substation, National Grid substation, together with fencing, access road and operation and maintenance (O&amp;M) vehicles during the operational period.</li> <li>• During the operational period, the complex built form of the onshore substation and National Grid substation, including GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc) will become a prominent influence on the view, set behind and partially screened by intervening hedgerows and mature trees.</li> <li>• National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower. The sealing end compounds will also be visible connecting the National Grid substation to the existing high-voltage transmission line.</li> <li>• The onshore infrastructure will have resulted in some changes in ground profiles within and immediately around the onshore substation and National Grid substation, however these changes will be difficult to see in the view due to the amount of foreground screening. The SUDs pond will be visible to the left of the view.</li> <li>• Woodland and hedgerows planted during construction will be present in the view towards the onshore substation (as per the landscape plan in <b>Figure 29.11</b>), including in the foreground of the view, but will have limited influence as landscape components/screening features until at least 5 years post-planting.</li> <li>• The onshore substation and National Grid substation will be viewed behind intervening hedgerows, new woodland planting and against the backdrop of semi-natural ancient woodland, which provides some mitigation though its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The built form of the onshore substation and National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</li> <li>• Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>• The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>	
<p>Magnitude of change (operation, 15 years post construction with mitigation): <b>(Figure 29.14c)</b></p>	<p>Negligible</p>
<ul style="list-style-type: none"> <li>• Mitigation woodland planting along the intervening field boundary to the north of Friston, is predicted to have grown to almost entirely screen the view of the onshore substation and National Grid substation, reducing the magnitude of change to negligible after approximately 15 years post construction.</li> </ul>	
<p>Significance of effect:</p>	

Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
People walking on the PRoW that leads north out of Friston:	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent
Residents of Friston (Church Road area):	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent

## Viewpoint 4 Friston, Grove Road

Designations:	None	Grid reference:	E: 641498	N: 260531
LCT:	Estate Sandlands (7)	View direction:	350°	
		Distance to the onshore substation:	528m	
Receptors:	Viewpoint is representative of views experienced by residents of Friston, particularly on Grove Road, motorists driving north on Grove Road out of Friston and people walking on the PRow which extends east out of Friston and joins the Sandling's Walk.			
<b>Baseline description (existing view is shown in <i>Figure 29.16</i>):</b>				
<ul style="list-style-type: none"> <li>Open view from the edge of Friston on Grove Road, with the open view extending east across large-scale arable fields.</li> <li>View has a variety of landscape elements, at the juxtaposition between the urban/residential edge of Friston, with the rural character of the adjacent arable fields and setting of the semi-natural ancient woodland at Grove Wood.</li> <li>Grove Road crosses the view, extending north where it becomes contained by hedgerow field boundaries.</li> <li>Maintained gardens, clipped hedgerows, regular pattern and arable use of fields generally creates the impression of a well maintained/managed landscape, however there are elements in poorer condition.</li> <li>The landscape is well wooded, with a large stand of ancient semi-natural woodland at Grove Wood forming the backdrop and providing enclosure of the view north. Other smaller stands of woodland, individual mature trees and thicker areas of hedgerow combine to provide further wooded cover.</li> <li>The landform is a gently undulating plateau, rising only gradually to the north.</li> <li>There are two pylons visible on the skyline of the view, but the majority of the National Grid overhead transmission line is not visible.</li> </ul>				
<b>Sensitivity to change:</b> <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium			
<ul style="list-style-type: none"> <li>The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>The view is representative of the view experienced by residents on the northern edges of Friston, particularly dwellings along Grove Road and is incidental to the arrival into Friston on the PRow and while driving north out of Friston on Grove Road. The view is specific to these areas and to a relatively limited number of people, however the rural setting of the view is likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character and setting of their place of residence.</li> <li>The view displays traditional rural qualities and some scenic interest arising from the interaction of the arable agricultural fields in the setting of a large areas of semi-natural ancient woodland, while also being influenced by the electrical pylons on the skyline and urban edge features.</li> </ul>				
Receptor	Susceptibility to change	to	Sensitivity to change	
Residents of Friston, particularly on Grove Road:	High		High	
Motorists driving north on Grove Road out of Friston:	Medium		Medium	
People walking on the PRow extending east out of Friston:	Medium-high		Medium-high	
<b>Magnitude of change:</b>				
Geographic extent:	Short distance/local extent			

<p>The onshore substation will be visible at short distance and local extent, located at a distance of approximately 456m and is located to the north of the viewpoint. The view of the onshore substation is representative of views from a localised area on the northern edge of Friston near Grove Road.</p>	
<p>Magnitude of change (construction):</p>	<p>Medium-high (during construction period)</p>
<ul style="list-style-type: none"> <li>• The construction of the onshore substation and National Grid substation will be visible in close proximity, in the mid-ground of the view and will be partially screened by layers of intervening hedgerows and field boundary trees. The onshore cable route construction works will be visible crossing the arable field in the foreground of the view.</li> <li>• The construction of the onshore substation, National Grid substation and onshore cable route will result in a medium-large scale change in the view, due to the size, extent and proximity of the onshore cable route construction works, together with the onshore substation and National Grid substation, together with fencing, access roads, vehicles, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period.</li> <li>• During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the substation platforms, GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure, such that electrical infrastructure will become a readily apparent influence on the view, behind and partially screened by intervening hedgerows and mature trees.</li> <li>• National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts. The installation of sealing end compounds will not be visible due to intervening screening.</li> <li>• The construction of the onshore infrastructure will result in some changes in ground profiles within and immediately around the onshore substation and National Grid substation, however these changes will be difficult to see in the view due to the amount of foreground screening.</li> <li>• Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>	
<p>Magnitude of change (operation, without mitigation): <b>(Figure 29.16b)</b></p>	<p>Medium</p>
<ul style="list-style-type: none"> <li>• The operational onshore substation and National Grid substation will be visible in close proximity, in the mid-ground of the view. The (underground) onshore cable route will have no visual influence post- restoration.</li> <li>• The operation of the onshore infrastructure will result in a medium change in the view, due to level of intervening screening which reduces the visual influence of the onshore substation and National Grid substation in the view.</li> <li>• During the operational period, the complex built form of the onshore substation and National Grid substation, including GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc) will become a readily apparent influence on the view, set behind and partially screened by intervening hedgerows and mature trees.</li> <li>• National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower.</li> <li>• The onshore infrastructure will have resulted in some changes in ground profiles within and immediately around the onshore substation and National Grid substation, however these changes will be difficult to see in the view due to the amount of foreground screening.</li> <li>• Woodland and hedgerows planted during construction will be present in the view towards the onshore substation (as per the landscape plan in <b>Figure 29.11</b>), including in the foreground of the view, but will have limited influence as landscape components/screening features until at least 5 years post-planting.</li> <li>• The onshore substation and National Grid substation will be viewed behind intervening hedgerows, new woodland planting and against the backdrop of semi-natural ancient woodland, which provides some mitigation through its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The built form of the onshore substation and</li> </ul>	



<p>National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</p> <ul style="list-style-type: none"> <li>• Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>• The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>			
<p>Magnitude of change (operation, 15 years post construction with mitigation): (<b>Figure 29.16c</b>)</p>		<p>Negligible</p>	
<ul style="list-style-type: none"> <li>• Mitigation woodland planting along the intervening field boundary to the north of Friston, is predicted to have grown to almost entirely screen the view of the onshore substation and National Grid substation, reducing the magnitude of change to negligible after approximately 15 years post construction.</li> </ul>			
<p>Significance of effect:</p>			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Residents of Friston, particularly on Grove Road:	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent
Motorists driving north on Grove Road out of Friston:	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
People walking on the PRow extending east out of Friston:	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent

## Viewpoint 5 Public Right of Way, near Moor Farm

Designations:	None	Grid reference:	E: 640884	N: 261654
LCT:	Ancient Estate Claylands (1)	View direction:	132°	
		Distance to the onshore substation:	652m	
Receptors:	Viewpoint is representative of views experienced by people walking on the PRow near Moor Farm (Fristonmoor) and residents of Moor Farm.			
Baseline description (existing view is shown in <b>Figure 29.17a</b> ):				
<ul style="list-style-type: none"> <li>Open view from relatively elevated position on the plateau landform to the north of the onshore substation, which affords open aspect south across arable land, overhead lines and the village of Friston.</li> <li>Although the view is fundamentally rural in character, it is dominated by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines strung across the view.</li> <li>Telegraph poles also traverse the view and add to the 'wirescape' visible.</li> <li>Large-scale arable agricultural fields with relatively limited enclosure of foreground fields, giving way to field with hedgerow field boundaries in the middle distance that are partially degraded by hedgerow removal to improve agricultural production.</li> <li>Large area of semi-natural, ancient woodland at Grove Wood, together with the adjoining Laurel Covert woodland, forms the backdrop and encloses the view to the south-east. Woodlands at Friston House provide enclosure to Friston village. The combination of these larger woodland blocks with smaller stands of trees and hedgerows creates the impression of a well-wooded landscape.</li> <li>Housing within the village of Friston is visible to the south, with Friston church tower and a small wind turbine providing focal points.</li> </ul>				
Sensitivity to change: <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium			
<ul style="list-style-type: none"> <li>The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>The view is incidental to the walk along the PRow, which forms part of a wider loop and network of PRow that are likely to be used by a moderate number of people locally. The rural setting and views from this PRow network and from Moor House (Fristonmoor) are likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character and setting of their place of residence.</li> <li>The view displays some traditional rural qualities and some scenic interest arising from the interaction of the arable agricultural fields, in the setting of a large areas of semi-natural, ancient woodland, while also being strongly influenced by the high voltage overhead transmission line traversing the view.</li> </ul>				
Receptor	Susceptibility to change	to	Sensitivity to change	
People walking on the PRow near Moor Farm (Fristonmoor):	Medium-high		Medium-high	
Residents of Moor Farm (Fristonmoor):	High		High	
Magnitude of change:				
Geographic extent:	Short distance/local extent			
The onshore substation will be visible at short distance and local extent, located at a distance of approximately 474m to the south of the viewpoint. The view of the onshore substation is representative of views from a localised area around Fristonmoor, to the immediate north of the onshore substation.				



Magnitude of change (construction):	High (during construction period)
<ul style="list-style-type: none"> <li>• The construction of the onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view. The National Grid substation will be located closest to the viewpoint and will form the most prominent element, to the fore of the East Anglia TWO onshore substation.</li> <li>• The construction of these onshore infrastructure will result in a large-scale change in the view, due to the size, extent and close proximity of the onshore substation, National Grid substation and construction compounds, together with fencing, access road, vehicles, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period.</li> <li>• During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the substation platforms, GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure, such that electrical infrastructure becomes the prevailing feature of the view.</li> <li>• The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons but is stark in comparison to the smaller scale of the housing and church in Friston.</li> <li>• National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts, bring the National Grid overhead line/pylons closer and larger in scale in the view. The installation of sealing end compounds will also be visible to connect the National Grid substation to the existing high-voltage transmission line.</li> <li>• The construction of the onshore infrastructure will result in some changes in ground profiles within and immediately around the onshore substation and National Grid substation. The construction of the SUDs pond will be visible in the right of the view.</li> <li>• The physical loss of the single hedgerow within the National Grid substation and the edge of Laurel Covert woodland will be seen in the view during construction.</li> <li>• Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>	
Magnitude of change (operation, without mitigation): <b>(Figure 29.17b)</b>	High
<ul style="list-style-type: none"> <li>• The operational onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view.</li> <li>• The operation of the onshore infrastructure will result in a large-scale change in the view, due to the size, extent and close proximity of the onshore substation and National Grid substation, together with fencing, access road and operation and maintenance (O&amp;M) vehicles during the operational period.</li> <li>• During the operational period, the complex built form of the onshore substation and National Grid substation, including GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc) will be the prevailing feature of the view.</li> <li>• National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower, bringing the National Grid overhead line/pylons closer and larger in scale in the view. The sealing end compounds will also be visible connecting the National Grid substation to the existing high-voltage transmission line.</li> <li>• The onshore infrastructure will have resulted in some changes in ground profiles within and immediately around the onshore substation and National Grid substation. The SUDs pond will be visible in the right of the view.</li> <li>• Woodland and hedgerows planted during construction will be present in the view around the onshore substation (as per the landscape plan in <b>Figure 29.11</b>), including in the foreground of the view, but will have limited influence as landscape components/screening features until at least 5 years post-planting.</li> <li>• The onshore substation and National Grid substation will be viewed against the backdrop of semi-natural ancient woodland, which provides some mitigation through its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The</li> </ul>	

<p>built form of the onshore substation and National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</p> <ul style="list-style-type: none"> <li>• Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>• The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation): ( <b>Figure 29.17c</b> )		Low	
<ul style="list-style-type: none"> <li>• Mitigation woodland planting along the intervening field boundary to the north of the National Grid substation, is predicted to have grown to provide partial screening in the view of the onshore substation and National Grid substation, reducing the magnitude of change to low after approximately 15 years post construction.</li> <li>• National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower, bringing the National Grid overhead line/pylons closer and larger in scale in the view. The sealing end compounds may also be visible through the foreground woodland belt, connecting the National Grid substation to the existing high-voltage transmission line.</li> </ul>			
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
People walking on the PRow near Moor Farm (Fristonmoor):	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent
Residents of Moor Farm (Fristonmoor):	Significant, short-term, temporary	Significant, long-term, temporary	Not significant, long-term, permanent

## Viewpoint 6 Friston, Village Green

Designations:	None	Grid reference:	E: 641198	N: 260337
LCT:	Estate Sandlands (7)	View direction:	12°	
		Distance to the onshore substation:	772m	
Receptors:	Viewpoint is representative of views experienced by residents of Friston and motorists driving north on the B1121 through the centre of Friston.			
Baseline description (existing view is shown in <b>Figure 29.18a</b> ):				
<ul style="list-style-type: none"> <li>The existing view is defined by the setting of Friston village green, looking across the green to Friston Church, and by the residential housing on Hillcrest which is adjacent to the village green.</li> <li>The view is contained largely within the village of Friston, but does extend beyond to the woodland at Grove Wood.</li> <li>The main focus of the view is Friston Church, its tower rising above the surrounding houses to form a focus in the village skyline.</li> <li>The landscape is well wooded, with a large stand of ancient semi-natural woodland at Grove Wood forming the backdrop to the village and providing enclosure of the view north. Trees within the village provide further visual enclosure to the setting of the village.</li> <li>There are two pylons visible on the skyline of the view, but the majority of the National Grid overhead transmission line is not visible.</li> <li>Saxmundham Road extends to the north and is lined by amenity trees on the edge of the village green.</li> <li>The perception is of a small, tranquil, traditional village set around the village green and church.</li> </ul>				
Sensitivity to change: <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium-high			
<ul style="list-style-type: none"> <li>The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>The view is representative of the view experienced by residents in the village of Friston and people using the open space at the village green. The view is specific to these areas and to a relatively limited number of people, however the setting of Friston village in the view is likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character and setting of their place of residence.</li> <li>The view displays traditional rural qualities and scenic interest arising from the village character and setting of the ancient woodland, interrupted only by the presence of some National Grid pylons in the backdrop.</li> </ul>				
Receptor	Susceptibility change	to	Sensitivity to change	
Residents of Friston:	High		High	
Motorists on B1121 through the centre of Friston:	Medium		Medium-high	
Magnitude of change:				
Geographic extent:	Short distance/local extent			
The onshore substation will be visible at short distance and local extent, located at a distance of approximately 619m to the south of the viewpoint. The view of the onshore substation is representative of views from a localised area in the centre of Friston village around the village green.				
Magnitude of change (construction):	Low (during construction period)			
<ul style="list-style-type: none"> <li>The construction of the onshore substation and National Grid substation will largely be screened during the construction period by housing in Friston in the foreground and intervening layers of vegetation/trees. The onshore cable route construction works will not be visible.</li> </ul>				

<ul style="list-style-type: none"> <li>• Only the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible during construction through intervening trees and will only be slightly apparent behind housing in the view.</li> <li>• The construction of the onshore substation and National Grid substation will result in a small change in the view, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, vehicles, the stockpiling of subsoil/topsoil and changes in ground profiles and SUDs will not be visible in the view.</li> <li>• National Grid realignments works will not be visible during the construction period, or the installation of sealing end compounds, due to intervening screening.</li> <li>• Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>			
Magnitude of change (operation, without mitigation): ( <b>Figure 29.18b</b> )		Low	
<ul style="list-style-type: none"> <li>• The operation of the onshore substation and National Grid substation will largely be screened during the operational period by housing in Friston in the foreground and intervening layers of vegetation/trees.</li> <li>• Only the larger electrical infrastructure associated with the onshore substation, such as the harmonic filters, will be visible through intervening trees and will only be slightly apparent behind housing in the view as they are screened by foreground housing and trees.</li> <li>• The operation of the onshore substation and National Grid substation will result in a small change in the view, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, O&amp;M vehicles and changes in ground profiles and SUDs will not be visible in the view.</li> <li>• National Grid realignments works will not be visible during the operational period, or the sealing end compounds, due to intervening screening.</li> <li>• Woodland and hedgerows planted during construction will not be visible in the view until they are well established/mature.</li> <li>• The onshore substation and National Grid substation will be viewed against the backdrop of semi-natural ancient woodland, which provides some mitigation through its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The built form of the onshore substation and National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</li> <li>• Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>• The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation): ( <b>Figure 29.18c</b> )		Negligible	
<ul style="list-style-type: none"> <li>• Mitigation woodland planting along the intervening field boundaries to the north of Friston, is predicted to have grown to provide screening of the taller components of the onshore substation in the view, reducing the magnitude of change to negligible after approximately 15 years post construction.</li> </ul>			
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Residents of Friston:	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Motorists on B1121 through the centre of Friston:	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

## Viewpoint 8 B1121 Saxmundham Road, north of Friston

Designations:	None	Grid reference:	E: 640477	N: 260862
LCT:	Estate Sandlands (7)	View direction:	70°	
		Distance to the onshore substation:	958m	
Receptors:	Viewpoint is representative of views experienced by motorists driving on the B1121 Saxmundham Road and residents of Moor Farm.			
Baseline description (existing view is shown in <b>Figure 29.20a</b> ):				
<ul style="list-style-type: none"> <li>Although the view is fundamentally rural in character, it is dominated by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines extending into the distance in the view. The large scale and visual complexity of these features is stark compared to the generally small scale elements of the rural landscape in the view.</li> <li>The view is relatively open, across medium to large scale arable agricultural fields, enclosed by hedgerows and scattered hedgerow trees, in a regular pattern with straight boundaries. Clipped hedgerows, regular pattern and arable use of fields create the impression of a well maintained/managed landscape, although there has been visible hedgerow loss through agricultural intensification.</li> <li>The landscape is well wooded, with a large stand of ancient semi-natural woodland at Grove Wood and the adjoining woodland of Laurel Covert forming the backdrop and providing enclosure of the view. Other smaller stands of woodland and thicker areas of hedgerow combine to provide further wooded cover.</li> <li>The landform is a gently undulating plateau, rising gradually to the north and east.</li> <li>The inherent characteristics are relatively simple, consisting mainly agricultural fields, woodland and sky, although the view is made more complex by the tall vertical pylons and transmission lines.</li> <li>There is relatively little built development visible, with just Moor Farm (Fristonmoor) being just about visible behind trees on the skyline.</li> </ul>				
Sensitivity to change: <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium-low			
<ul style="list-style-type: none"> <li>The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>The view is incidental to the drive along the B1121 Saxmundham Road, which connects Friston with Saxmundham and is likely to be used by a large number of people locally.</li> <li>The rural setting and views from this road are likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character in the backdrop to the travel between Friston and Saxmundham, although the scenic quality is reduced by the pylons and large scale fields.</li> <li>The view displays traditional rural qualities and some scenic interest arising from the interaction of the arable agricultural fields in the setting of a large areas of semi-natural ancient woodland but is dominated by the influenced of the large scale pylons and high voltage overhead transmission line.</li> </ul>				
Receptor	Susceptibility to change	to	Sensitivity to change	
Motorists driving on the B1121 Saxmundham Road:	Medium		Medium	
Residents of Moor Farm:	High		High	
Magnitude of change:				
Geographic extent:	Short distance/local extent			



<p>The onshore substation will be visible at short distance and local extent, located at a distance of approximately 764m to the east of the viewpoint. The view of the onshore substation is representative of views from a localised area in the centre of Friston village around the village green.</p>	
<p>Magnitude of change (construction):</p>	<p>Medium-high (during construction period)</p>
<ul style="list-style-type: none"> <li>• The construction of the onshore substation, National Grid substation and access road will be visible in close proximity, in the foreground and midground of the view and will be viewed in the context of the large-scale pylons and high voltage overhead transmission line which dominate the existing view.</li> <li>• The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons and is also contained by larger scale of Grove Wood in the backdrop.</li> <li>• The construction of these onshore infrastructure will result in a medium-large scale change in the view, due to the size, extent and close proximity of the onshore substation, National Grid substation and construction compounds, together with fencing, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period.</li> <li>• The construction of the access road will be prominent crossing the foreground of the view, passing under the overhead lines. The movement of construction vehicles along the access road to the onshore substation will be visible in the view.</li> <li>• During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the substation platforms, GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure.</li> <li>• National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts, changing the alignment of the National Grid overhead line/pylons in the view. The installation of sealing end compounds will also be visible to connect the National Grid substation to the existing high-voltage transmission line.</li> <li>• The construction of the onshore infrastructure will result in some changes in ground profiles within and immediately around the onshore substation and National Grid substation.</li> <li>• The loss of the single hedgerow within the National Grid substation will be seen during construction.</li> <li>• Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>	
<p>Magnitude of change (operation, without mitigation): <b>(Figure 29.20b)</b></p>	<p>Medium</p>
<ul style="list-style-type: none"> <li>• The operational onshore substation, National Grid substation and access road will be visible in close proximity, in the mid-ground of the view.</li> <li>• Electrical transmission infrastructure is substantially characteristic in the existing view and will remain the prevailing feature of the view. The addition of the onshore substation and National Grid substation adds features that are substantially characteristic in the existing view and therefore represent a relatively lower change than in other views, where the overhead transmission line has less influence in the baseline.</li> <li>• The operation of the onshore infrastructure will result in a medium scale change in the view, due to the size, extent and proximity of the onshore substation and National Grid substation, together with fencing, access road and operation and maintenance (O&amp;M) vehicles during the operational period.</li> <li>• During the operational period, the complex built form of the onshore substation and National Grid substation, including GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc) will be readily apparent features of the view, but seen in the context of the large scale overhead transmission line and pylons.</li> <li>• National Grid realignments works will have changed the appearance of the overhead line and pylons in the view, consisting of a relocated pylon tower (4ZX020) and the addition of one new build pylon tower, changing the alignment of the pylon towers in the view. The sealing end compounds will also be visible connecting the National Grid substation to the existing high-voltage transmission line.</li> <li>• The access road will be visible crossing the foreground of the view, passing under the overhead lines. The movement of O&amp;M vehicles along the access road to the onshore substation will be visible in the view.</li> </ul>	

<ul style="list-style-type: none"> <li>• The onshore infrastructure will have resulted in some changes in ground profiles within and immediately around the onshore substation and National Grid substation.</li> <li>• Woodland and hedgerows planted during construction will be present in the view around the onshore substation (as per the landscape plan in <b>Figure 29.11</b>), including in the foreground of the view, but will have limited influence as landscape components/screening features until at least 5 years post-planting.</li> <li>• The onshore substation and National Grid substation will be viewed against the backdrop of semi-natural ancient woodland, which provides some mitigation though its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The built form of the onshore substation and National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</li> <li>• Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>• The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation): ( <b>Figure 29.20c</b> )		Medium-low	
<ul style="list-style-type: none"> <li>• Mitigation planting will be visible in the mid-ground of the view around the onshore substation and National Grid substation and will reduce visibility of the built infrastructure.</li> <li>• Mitigation planting will reduce the magnitude of change to medium-low after 15 years when the woodland planting is predicted to have grown to provide partial screening of the onshore substation and National Grid substation in the view, softening its appearance and partially integrating it into the well wooded landscape context.</li> </ul>			
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Motorists driving on the B1121 Saxmundham Road:	Significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Residents of Moor Farm:	Significant, short-term, temporary	Significant, long-term, temporary	Significant, long-term, permanent

## Viewpoint 9 B1121 Aldeburgh Road, south of Friston

Designations:	None	Grid reference:	E: 641464	N: 259905
LCT:	Estate Sandlands (7)	View direction:	356°	
		Distance to the onshore substation:	1.1km	
Receptors:	Viewpoint is representative of views experienced by motorists approaching Friston on the B1121 Aldeburgh Road and residents of southern part of Friston, particularly dwellings along Aldeburgh Road.			
<b>Baseline description (existing view is shown in <i>Figure 29.21a</i>):</b>				
<ul style="list-style-type: none"> <li>• Open view from the edge of Friston on Aldeburgh Road, with the open view extending east across large-scale, arable fields and north to take in the village of Friston.</li> <li>• View has a variety of landscape elements, at the juxtaposition between the urban/residential edge of Friston, with the rural character of the adjacent arable fields and the setting of the semi-natural ancient woodland at Grove Wood.</li> <li>• The existing view is defined by the setting of Friston village, taking in housing on Aldeburgh Road and Grove Road, and Friston Church, which forms the focal point in the view.</li> <li>• Aldeburgh Road crosses the view, extending north where it is contained by hedgerow field boundaries.</li> <li>• Maintained gardens, clipped hedgerows, regular pattern and arable use of fields create the impression of a well maintained/managed landscape, although large field sizes indicate that hedgerows may have been removed for agricultural intensification and there are detractors such as pylons in the backdrop.</li> <li>• The landscape is well wooded, with a large stand of ancient semi-natural woodland at Grove Wood forming the backdrop to the village and providing enclosure of the view north. Trees within the village provide further visual enclosure to the setting of the village.</li> <li>• The skyline backdrop to the village of Friston in the view is traversed by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines strung across the skyline behind the housing and church in Friston, and passing behind Grove Wood.</li> <li>• The perception is of a relatively tranquil, traditional rural village setting whose backdrop has been influenced by modern, large-scale energy transmission infrastructure.</li> </ul>				
<b>Sensitivity to change:</b> <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium			
<ul style="list-style-type: none"> <li>• The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>• It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>• The view is incidental to the drive along the B1121 Aldeburgh Road, arriving into Friston, which connects Friston with Aldeburgh and is likely to be used by a large number of people locally.</li> <li>• The rural setting and views from this road are likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character in the backdrop to the travel between Friston and Aldeburgh, and to the rural setting of the village of Friston.</li> <li>• The view displays traditional rural qualities and some scenic interest arising from the interaction of the village and Friston Church, with the surrounding arable landscape and the setting of nearby ancient woodland, but is also influenced by the high voltage overhead transmission line in the village backdrop.</li> </ul>				
Receptor	Susceptibility to change	to	Sensitivity to change	
Motorists approaching Friston on the B1121 Aldeburgh Road:	Medium		Medium	
Residents of southern part of Friston, particularly Aldeburgh Road:	High		High	



Magnitude of change:	
Geographic extent:	Short distance/local extent
<p>The onshore substation will be visible at short distance and local extent, located at a distance of approximately 1.05km to the north of the viewpoint. The view of the onshore substation is representative of views from a localised area on the southern edge of Friston village near Aldeburgh Road.</p>	
Magnitude of change (construction):	Medium-low (during construction period)
<ul style="list-style-type: none"> <li>The construction of the onshore substation and National Grid substation will largely be screened during the construction period by housing in Friston in the foreground and intervening layers of vegetation/trees. The onshore cable route construction works will be visible crossing the arable field to the fore of Grove Wood.</li> <li>Only the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible during construction through intervening trees and will be apparent behind housing in Friston in the view creating a somewhat discordant juxtaposition of scale/built elements.</li> <li>The construction of the onshore substation and National Grid substation will result in a medium-low change in the view, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, vehicles, the stockpiling of subsoil/topsoil and changes in ground profiles and SUDs will not be visible.</li> <li>National Grid realignments works of the pylon towers will be visible during the construction period, however the installation of sealing end compounds will not be visible due to intervening screening.</li> <li>Task and vehicle lighting may be used in the hours of darkness during approved working hours.</li> </ul>	
Magnitude of change (operation, without mitigation): <b>(Figure 29.21b)</b>	Medium-low
<ul style="list-style-type: none"> <li>The operation of the onshore substation and National Grid substation will largely be screened during the operational period by housing in Friston in the foreground and intervening layers of vegetation/trees.</li> <li>Only the larger electrical infrastructure associated with the onshore substation, such as harmonic filters and taller buildings will be visible through intervening trees and will only be apparent behind housing in the view as they are screened by foreground housing and trees. They will however, introduce elements that draw attention because of their contrast with smaller scale development and focal points (such as Friston Church).</li> <li>The operation of the onshore substation and National Grid substation will result in a small/moderate change in the view, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, O&amp;M vehicles and changes in ground profiles and SUDs will not be visible in the view.</li> <li>The realigned National Grid pylon towers will be visible during the operational period, however the sealing end compounds will not be visible due to intervening screening.</li> <li>Woodland and hedgerows planted during construction will not be visible in the view until they are well established/mature.</li> <li>The onshore substation and National Grid substation will be viewed against the backdrop of semi-natural ancient woodland, which provides some mitigation though its visual containment and its natural appearance, which offsets the technological appearance of the onshore substation. The built form of the onshore substation and National Grid substation will also be lower in height than this woodland at Grove Wood/Laurel Covert.</li> <li>Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.</li> <li>The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation): <b>(Figure 29.21c)</b>	Medium-low

- Mitigation planting will be partially visible in the backdrop to Friston in the view, providing further partial screening of the onshore substation and National Grid substation, however in this view, it is not likely to have grown high enough, after 15 years, to screen the taller elements of the electrical infrastructure, which will remain visible in the backdrop to Friston, such that magnitude of change remains medium-low.

Significance of effect:

Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Motorists approaching Friston on the B1121 Aldeburgh Road:	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Residents of southern part of Friston, particularly Aldeburgh Road:	Significant, short-term, temporary	Significant, long-term, temporary	Significant, long-term, permanent

## Viewpoint 10 B1119 Saxmundham Road

Designations:	None	Grid reference:	E: 641095	N: 262490
LCT:	Ancient Estate Claylands (1)	View direction:	167°	
		Distance to the onshore substation:	1.2km	
Receptors:	Viewpoint is representative of views experienced by motorists driving on the B1119 Saxmundham Road.			
<b>Baseline description (existing view is shown in <i>Figure 29.22a</i>):</b>				
<ul style="list-style-type: none"> <li>Open view from the plateau landform to the north of the onshore substation, which affords an aspect south across arable land to the National Grid overhead lines but is relatively contained by the rising landform in the foreground.</li> <li>Large-scale arable agricultural fields, with relatively limited enclosure of foreground fields, giving way to field with hedgerow field boundaries and field boundary trees/shelterbelts around farms in the middle distance.</li> <li>Although the view is fundamentally rural in character, the backdrop is strongly influenced by the National Grid high voltage overhead transmission line and double row of electrical pylons, with electrical lines strung across the view. The field pattern is relatively large-scale created by hedgerow removal.</li> <li>Telegraph poles also traverse the view and add to the 'wirescape' visible.</li> <li>Large area of semi-natural ancient woodland at Grove Wood, together with the adjoining Laurel Covert woodland, forms the backdrop and contains the view to the south-east. The combination of these larger woodland blocks with smaller stands of trees and hedgerows creates the impression of a well-wooded landscape.</li> <li>Farmsteads at Clouting's Farm and Pattie's Farm are visible on the foreground skyline to the south, providing focal points and are set within farm woods.</li> </ul>				
<b>Sensitivity to change:</b> <i>Combination of the value of the view and the susceptibility of each visual receptor</i>				
Value:	Medium			
<ul style="list-style-type: none"> <li>The viewpoint is not located within, nor does it overlook, a nationally or locally designated landscape, nor is it afforded any protection in planning policy.</li> <li>It is not a specific viewpoint and there are no facilities provided to aid enjoyment of the view.</li> <li>The view is incidental to the drive along the B1119 Saxmundham Road, which connects Leiston with Saxmundham and is likely to be used by a large number of people locally.</li> <li>The rural setting and views from this road are likely to be valued by the community at a local level, as having particular scenic qualities which are valued as part of the local character in the backdrop to the travel between Leiston and Saxmundham.</li> <li>The view displays rural qualities and some scenic interest arising from the interaction of the arable agricultural fields in the setting of a large areas of semi-natural ancient woodland but is also influenced by the large-scale pylons and high voltage overhead transmission lines that extend across the view.</li> </ul>				
Receptor	Susceptibility to change	to	Sensitivity to change	
Motorists driving on the B1119 Saxmundham Road:	Medium		Medium	
<b>Magnitude of change:</b>				
Geographic extent:	Short distance/local extent			
The onshore substation will be visible at short distance and local extent, located at a distance of approximately 1.09km to the south of the viewpoint. The view of the onshore substation is representative of views from a localised area on the B1119 Saxmundham Road.				
Magnitude of change (construction):	Medium-low (during construction period)			

- The construction of the onshore substation and National Grid substation will be visible in the mid-ground of the view, however they will be partially screened and contained by the rising landform in the foreground, such that the ground level of the onshore substation is not visible.
- The National Grid substation will be located closest to the viewpoint, but the larger height of the elements of the East Anglia TWO onshore substation will form the more prominent elements, along with the larger machinery and cranes required during construction.
- The construction of these onshore infrastructure will result in a small/moderate scale change in the view, with much of the construction works screened by a combination of the foreground landform and woodland/hedgerows around Clouting's Farm and Little Moor Farm on the skyline.
- Due to the intervening screening, the fencing, access road, vehicles and the stockpiling of subsoil/topsoil needed during the construction period are unlikely to be visible in the view.
- During the construction period, the built form of the onshore substation and National Grid substation will take shape during the construction and installation of the GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc). With progress through the construction period, the built forms of the constructed infrastructure will increase the influence of large buildings and infrastructure, such that electrical infrastructure becomes an apparent influence in the view.
- The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons.
- National Grid realignments works will be visible during the construction period, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower and the temporary diversion of the circuit by temporary masts, bring the National Grid overhead line/pylons closer and larger in scale in the view. The installation of sealing end compounds will also be partially visible to connect the National Grid substation to the existing high-voltage transmission line.
- Task and vehicle lighting may be used in the hours of darkness during approved working hours.

Magnitude of change (operation, without mitigation): <b>(Figure 29.22b)</b>	Medium-low
--	------------

- The operational onshore substation and National Grid substation will be visible in the mid-ground of the view, however they will be partially screened and contained by the rising landform in the foreground, such that the ground level of the onshore substation is not visible.
- The National Grid substation will be located closest to the viewpoint, but the larger height of the elements of the East Anglia TWO onshore substation will form the more prominent elements.
- The operation of the onshore substation and National Grid substation will result in a small/moderate scale change in the view, with much of the onshore substation screened by a combination of the foreground landform and woodland/hedgerows around Clouting's Farm and Little Moor Farm on the skyline.
- Due to the intervening screening, the fencing, access road, O&M vehicles and changes in ground profiles are unlikely to be visible in the view.
- The built form of the onshore substation and National Grid substation will be formed by the GIS building/control room and electrical infrastructure (such as shunt reactors, transformers, harmonic filters, statcom etc), becoming an apparent influence in the view.
- The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons but is stark in comparison to the smaller scale of farmsteads in the foreground.
- The realigned National Grid pylon towers will be visible, consisting of the relocation of pylon tower 4ZX020, the addition of one new build pylon tower, bringing the National Grid overhead line/pylons closer and larger in scale in the view. The sealing end compounds are unlikely to be visible due to the foreground landform screening and tree cover.
- Lighting of the substations will be visible at times, but this is assumed to be passive lighting (passive infra-red) and the onshore substations will not be permanently lit.
- The magnitude of change resulting from the onshore substation and National Grid substation will reduce when the trees and hedgerows in the view are in leaf and provide more screening during the spring to late summer months.

Magnitude of change (operation, 15 years post construction with mitigation): ( <b>Figure 29.22c</b> )		Low	
<ul style="list-style-type: none"> <li>Mitigation planting will be visible in the mid-ground of the view, joining existing stands of woodland on the mid-ground skyline and will further reduce the amount of the onshore substation and National Grid substation visible in the view.</li> <li>Mitigation planting will reduce the magnitude of change to low after 15 years when the woodland planting is predicted to have grown to provide substantial screening of the onshore substation and National Grid substation in the view, softening its appearance and integrating it into the well wooded landscape context.</li> </ul>			
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Motorists driving on the B1119 Saxmundham Road:	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

### 29.3.1.1.2 Settlements

31. An assessment of the visual effects of the onshore substation and National Grid substation on views experienced by residents of Friston is presented in the following technical assessment. The visual effects of the onshore substation and National Grid substation have been assessed as not significant on all other settlement receptors in the preliminary assessment in **section 29.2.3.1**.

#### Friston

Residents of Friston	
Representative viewpoints:	Viewpoints 1, 2, 4, 6 and 9
Sensitivity to change:	
Residents of Friston:	High
Magnitude of change (predicted views from Friston are shown in <b>Figures 29.13, 29.14, 29.16, 29.18 and 29.21</b> )	
Geographic extent:	
<p>The village of Friston is located between 430m – 1.2km to the south of the onshore substation. The village has developed to have a distinct form, with a group of dwellings clustered around Friston Church, in the Church Road and Grove Road area in the north of the village. Several dwellings are located along the track extending north of Church Road to Woodside Farm. A secondary area has developed, fanning out on the manorial wasteland to the south of the village centre. This area was known as The Common until recently, and is now formed by housing on Low Road, Chase’s Lane and Donkey Lane. These distinct areas, to the north and south of the village are located on either side of the public open space/village green in the centre of the village. The B1121 Aldeburgh Road/Saxmundham Road passes through the centre of the village, further defining these areas to the north and south of this main road. Friston House and its wooded grounds are situated to the north of the village and provide visual enclosure along part of Church Road. The magnitude of change resulting from the onshore substation and National Grid substation is considered for areas to the north of the village formed by Church Road, Grove Road and the village green (Area A); Friston village centre/green (Area B) and to the south of the village formed by Low Road, Chase’s Lane and Donkey Lane (Area C). The magnitude of change resulting from the onshore substation and National Grid substation varies across these northern and southern areas of the village.</p>	
Area A: Northern part of Friston (Church Road, Grove Road and village green)	
Magnitude of change (construction):	Medium to high
<ul style="list-style-type: none"> <li>• The northern edges of Friston are most exposed to the changes resulting from the construction of the onshore substation and National Grid substation, where there will be some views north of the construction of the onshore substation and National Grid substation at close range from the track leading to Woodside Farm (Viewpoint 1) and from the eastern half of Church Road, through layers of intervening hedgerows and field boundary trees (Viewpoint 2). There will also be views of the construction from Grove Road, particularly near Church Road, on the northern edge of Friston (Viewpoint 4). The magnitude of change resulting from the construction of the onshore substation and National Grid substation on views from these areas of the village is assessed as varying between medium and high with the degree of intervening foreground screening on the northern edge of the village. Although there is often considerable intervening screening, which breaks up views of the onshore substation, the construction of the onshore substation and National Grid substation will result in medium to high changes in views from this northern edge of Friston, due to the size, extent and proximity of the built features taking shape during the construction period, together with the additional visual influence of fencing, the access road, vehicles, machinery, accommodation and cranes needed during the construction period.</li> <li>• Views from the western half of Church Road and Hillcrest are screened by the intervening woodland within the grounds of Friston House. The magnitude of change resulting from the construction of the</li> </ul>	



onshore substation and National Grid substation on views from these areas of the village is assessed as negligible.	
Magnitude of change (operation, without mitigation):	Medium to high
<ul style="list-style-type: none"> <li>The northern edges of Friston are most exposed to the changes resulting from the operation of the onshore substation and National Grid substation, where there will be some views north of the operational onshore substation and National Grid substation at close range from the track leading to Woodside Farm (Viewpoint 1) and from the eastern half of Church Road, through layers of intervening hedgerows and field boundary trees (Viewpoint 2). There will also be views of the construction from Grove Road, particularly near Church Road, on the northern edge of Friston (Viewpoint 4). The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from these areas of the village is assessed as medium to high, varying between medium and high with the degree of intervening foreground screening on the northern edge of the village. Although there is often considerable intervening screening, which breaks up views of the onshore substation, the operation of the onshore substation and National Grid substation will result in medium to high changes in views from this northern edge of Friston, due to the size, extent and proximity of the built features such as GIS buildings and external electrical infrastructure, together with the additional visual influence of fencing, the access road and O&amp;M vehicles during the operational period.</li> <li>Views from the western half of Church Road and Hillcrest are screened by the intervening woodland within the grounds of Friston House. The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from these areas of the village is assessed as negligible.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Negligible
<ul style="list-style-type: none"> <li>Mitigation woodland planting along the intervening field boundary to the north of Friston, is predicted to have grown to almost entirely screen the views of the onshore substation and National Grid substation, reducing the magnitude of change to negligible after approximately 15 years post construction. Note that the mitigation woodland planting belt which will be in the immediate foreground of the view (directly in front of the viewpoint) is not shown in the photomontage in Figure 29.13c, to allow illustration of the wider landscape mitigation planting around the onshore substation site.</li> </ul>	
Area B: Friston village centre	
Magnitude of change (construction):	Low
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the construction of the onshore substation and National Grid substation on views from the centre of Friston, such as the public open space/village green (Viewpoint 6) is assessed as low. The construction of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees during construction, substantially screened by intervening trees and will only be slightly apparent in the view. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change resulting from the onshore substation and National Grid substation from the village centre.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from the centre of Friston, such as the public open space/village green (Viewpoint 6) is assessed as low. The operation of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees. Only the top of the larger elements associated with the higher electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees, substantially screened by intervening trees and will only be slightly apparent in the view. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change resulting from the onshore substation and National Grid substation from the village centre.</li> </ul>	



Magnitude of change (operation, 15 years post construction with mitigation):		Negligible	
<ul style="list-style-type: none"> <li>Mitigation woodland planting along the intervening field boundary to the north of Friston, is predicted to have grown to almost entirely screen the view of the onshore substation and National Grid substation, reducing the magnitude of change to negligible after approximately 15 years post construction.</li> </ul>			
Area C: Aldeburgh Road			
Magnitude of change (construction):		Medium-low (during construction period)	
<ul style="list-style-type: none"> <li>The magnitude of change during construction resulting from the onshore substation and National Grid substation on views from the southern part of Friston along Aldeburgh Road (Viewpoint 9) is assessed as medium-low. The construction of the onshore substation and National Grid substation will largely be screened during the construction period by housing in Friston in the foreground and intervening layers of vegetation/trees within and to the north of the village. The larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible during construction through intervening trees and will be apparent in the backdrop to the village, beyond intervening housing and vegetation in views. The construction of the onshore substation and National Grid substation will result in medium-low changes in the views from this area of the village, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, vehicles, the stockpiling of subsoil/topsoil and changes in ground profiles and SUDs will not be visible. Viewpoint 9 (<b>Figure 29.21</b>) provides a representative example of the likely change resulting from the onshore substation and National Grid substation from the southern part of Friston.</li> </ul>			
Magnitude of change (operation, without mitigation):		Medium-low	
<ul style="list-style-type: none"> <li>The magnitude of change during operation resulting from the onshore substation and National Grid substation on views from the southern part of Friston along Aldeburgh Road (Viewpoint 9) is assessed as medium-low. The operation of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees within and to the north of the village. The larger elements associated with the operational onshore substation, such as the higher electrical infrastructure e.g. the top of harmonic filters and GIS buildings, will be visible during operation and will be apparent in the backdrop to the village, beyond intervening housing and vegetation in views. The operation of the onshore substation and National Grid substation will result in medium-low changes in the views from this area of the village, due to the extent of intervening screening and the limited amount of the onshore substation and National Grid substation visible. Lower lying features such as fencing, access roads, vehicles, the stockpiling of subsoil/topsoil and changes in ground profiles and SUDs will not be visible. Viewpoint 9 (<b>Figure 29.21</b>) provides a representative example of the likely change resulting from the onshore substation and National Grid substation from the southern part of Friston.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation):		Medium-low	
<ul style="list-style-type: none"> <li>Mitigation planting will be partially visible in the backdrop to Friston in the views from Aldeburgh Road, providing further partial screening of the onshore substation and National Grid substation, however in these views experienced by residents of Aldeburgh Road on the southern edge of Friston, it is not likely to have grown high enough, after 15 years, to screen the taller elements of the electrical infrastructure, which will remain visible in the backdrop to Friston, such that magnitude of change remains medium-low.</li> </ul>			
Area D: Southern part of Friston (Low Road, Chase's Lane and Donkey Lane)			
Magnitude of change (construction):		Low	
Magnitude of change (operation, without mitigation):		Low	
Magnitude of change (operation, 15 years post construction with mitigation):		Negligible	
Significance of effect:			
Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)

Residents of Friston (Area A) Northern part of Friston (Church Road, Grove Road and village green)	Significant, short-term, temporary (during construction period)	Significant, long-term, temporary	Not significant, long-term, permanent
Residents of Friston (Area B) Friston village centre	Not significant, short-term, temporary (during construction period)	Not significant, long-term, temporary	Not significant, long-term, permanent
Residents of Friston (Area C) Aldeburgh Road	Significant, short-term, temporary (during construction period)	Significant, long-term, temporary	Significant, long-term, permanent
Residents of Friston (Area D) Southern part of Friston (Low Road, Chase's Lane and Donkey Lane)	Not significant, short-term, temporary (during construction period)	Not significant, long-term, temporary	Not significant, long-term, permanent

### 29.3.1.1.3 Transport Routes

32. An assessment of the visual effects of the onshore substation and National Grid substation from the B1121 and Grove Road transport routes (**Figure 29.9**) is presented in the following technical assessment. The visual effects of the onshore substation and National Grid substation have been assessed as not significant on views experienced by motorists on all other transport routes in the preliminary assessment in **section 29.2.3.1**.

#### B1121 Aldeburgh / Saxmundham Road

Motorists travelling on B1121 Aldeburgh / Saxmundham Road	
Representative viewpoints:	Viewpoints 8 and 9
Sensitivity to change:	
Motorists on B1121 Aldeburgh / Saxmundham Road:	Medium
Magnitude of change:	
Section A: Saxmundham to north of Moor Farm (Saxmundham Road)	
Magnitude of change (construction):	Negligible (during construction period)
<ul style="list-style-type: none"> <li>Motorists on the B1121 between Saxmundham and north of Moor Farm will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore substation and National Grid substation.</li> </ul>	
Magnitude of change (operation, without mitigation):	Negligible
<ul style="list-style-type: none"> <li>Motorists on the B1121 between Saxmundham and north of Moor Farm will generally have no views, or at most experience a negligible change to their views, due to the operation of the onshore substation and National Grid substation.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Negligible
<ul style="list-style-type: none"> <li>Motorists on the B1121 between Saxmundham and north of Moor Farm will generally have no views, or at most experience a negligible change to their views, due to the operation of the onshore substation and National Grid substation.</li> </ul>	
Section B: North of Moor Farm to Friston House (Saxmundham Road)	
Magnitude of change (construction):	Medium-high (during construction period)

<ul style="list-style-type: none"> <li>Motorists on the B1121 between Moor Farm and Friston House will experience a medium-high change to views experienced from this section of the road due to the construction of the onshore substation and National Grid substation to the east of the road. Viewpoint 8 (<b>Figure 29.20</b>) provides a representative example of the likely change in views from this section of the B1121. The construction of the onshore substation, National Grid substation and access road will be visible in close proximity, in the foreground and midground of the oblique views east and will be viewed in the context of the large-scale pylons and high voltage overhead transmission line which dominate the existing view. Changes to view from this section of the B1121 arising from the construction of the onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure taking shape during the construction period, together with construction compounds, fencing, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period. The construction of the access road off this section of the B1121 will also be prominent in the foreground of views experienced by motorists. The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons prominent in views from this section of the road and is also contained by and is lower in height than Grove Wood in the backdrop.</li> </ul>	
<p>Magnitude of change (operation, without mitigation):</p>	<p>Medium</p>
<ul style="list-style-type: none"> <li>Motorists on the B1121 between Moor Farm and Friston House will experience a medium-high change to views experienced from this section of the road due to the operation of the onshore substation and National Grid substation to the east of the road. Viewpoint 8 (<b>Figure 29.20</b>) provides a representative example of the likely change in views from this section of the B1121. The operational onshore substation, National Grid substation and access road will be visible in close proximity, in the foreground and midground of the oblique views east and will be viewed in the context of the large-scale pylons and high voltage overhead transmission line which dominate the existing view. Changes to view from this section of the B1121 arising from the operational onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure, together with the access road off this section of the B1121, which will be prominent in the foreground of views experienced by motorists. The scale of the onshore substation and National Grid substation is subsumed below the vertical scale of the electrical pylons prominent in views from this section of the road and is also contained by Grove Wood in the backdrop.</li> </ul>	
<p>Magnitude of change (operation, 15 years post construction with mitigation):</p>	<p>Medium-low</p>
<ul style="list-style-type: none"> <li>Mitigation planting will be visible in the mid-ground of the view around the onshore substation and National Grid substation and will reduce visibility of the built infrastructure. Mitigation planting will reduce the magnitude of change to medium-low after 15 years when the woodland planting is predicted to have grown to provide partial screening of the onshore substation and National Grid substation in the view, softening its appearance and partially integrating it into the well wooded landscape context.</li> </ul>	
<p>Section C: Friston House through Friston (Saxmundham Road)</p>	
<p>Magnitude of change (construction):</p>	<p>Low (during construction period)</p>
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the construction of the onshore substation and National Grid substation on views from the B1121 passing through the centre of Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from this section of the B1121. The construction of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees during construction, substantially screened by intervening trees and will only be slightly apparent in views.</li> </ul>	
<p>Magnitude of change (operation, without mitigation):</p>	<p>Low</p>
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from the B1121 passing through the centre of Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from</li> </ul>	

<p>this section of the B1121. The operational onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements of electrical infrastructure will be visible intermittently beyond intervening foreground buildings and trees during operational, substantially screened by intervening trees and will only be slightly apparent in views.</p>			
<p>Magnitude of change (operation, 15 years post construction with mitigation):</p>		<p>Negligible</p>	
<ul style="list-style-type: none"> <li>Mitigation woodland planting along the intervening field boundary to the north of Friston, is predicted to have grown to almost entirely screen the views of the onshore substation and National Grid substation, reducing the magnitude of change to negligible after approximately 15 years post construction.</li> </ul>			
<p>Section D: South of Friston (Aldeburgh Road)</p>			
<p>Magnitude of change (construction):</p>		<p>Medium-low (during construction period)</p>	
<ul style="list-style-type: none"> <li>Motorists on the B1121 Aldeburgh Road extending south out of Friston will experience a medium-low change to views due to the construction of the onshore substation and National Grid substation to the north-east of the road. Viewpoint 9 (<b>Figure 29.21</b>) provides a representative example of the likely change in views from this section of the B1121. The construction of the onshore substation and National Grid substation will largely be screened during the construction period by housing in Friston in the foreground and intervening layers of vegetation/trees within and to the north of the village. Only the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible during construction through intervening trees and will be partially apparent in the backdrop to the village, beyond intervening housing and vegetation in views. Lower lying features such as fencing, access roads, vehicles, the stockpiling of subsoil/topsoil and changes in ground profiles and SUDs will not be visible.</li> </ul>			
<p>Magnitude of change (operation, without mitigation):</p>		<p>Medium-low</p>	
<ul style="list-style-type: none"> <li>Motorists on the B1121 Aldeburgh Road extending south out of Friston will experience a medium-low change to views due to the operation of the onshore substation and National Grid substation to the north-east of the road. Viewpoint 9 (<b>Figure 29.21</b>) provides a representative example of the likely change in views from this section of the B1121. The operation of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees within and to the north of the village. Only the larger elements associated with the operation of the onshore infrastructure, such as the top of the GIS building and larger electrical infrastructure, such as the harmonic filters, will be partially apparent in the backdrop to the village, beyond intervening housing and vegetation in views. Lower lying features such as fencing, access roads, vehicles and SUDs will not be visible.</li> </ul>			
<p>Magnitude of change (operation, 15 years post construction with mitigation):</p>		<p>Medium-low</p>	
<ul style="list-style-type: none"> <li>Mitigation planting will be partially visible in the backdrop to Friston in the views from this section of the B1121 Aldeburgh Road, providing further partial screening of the onshore substation and National Grid substation, however in these views experienced by motorists on the B1121 Aldeburgh Road on the southern edge of Friston, it is not likely to have grown high enough, after 15 years, to screen the taller elements of the electrical infrastructure, which will remain visible in the backdrop to Friston, such that magnitude of change remains medium-low.</li> </ul>			
<p>Significance of effect:</p>			
<p>Receptor: Motorists on B1121</p>	<p>Significance of effect (construction)</p>	<p>Significance of effect (operation without mitigation)</p>	<p>Significance of effect (operation with mitigation)</p>
<p>Section A: Saxmundham to north of Moor Farm (Saxmundham Road)</p>	<p>Not significant, short-term, temporary</p>	<p>Not significant, long-term, temporary</p>	<p>Not significant, long-term, permanent</p>
<p>Section B: North of Moor Farm to Friston House (Saxmundham Road)</p>	<p>Significant, short-term, temporary</p>	<p>Not significant, long-term, temporary</p>	<p>Not significant, long-term, permanent</p>

Section C: Friston House through Friston (Saxmundham Road)	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Section D: South of Friston (Aldeburgh Road)	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

## Grove Road

Motorists travelling on Grove Road	
Representative viewpoints:	Viewpoints 3 and 4
Sensitivity to change:	
Motorists on Grove Road:	Medium
Magnitude of change:	
Section A: Saxmundham Road to Grove Wood	
Magnitude of change (construction):	Low to negligible (during construction period)
<ul style="list-style-type: none"> <li>Motorists on Grove Road between Saxmundham Road and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the construction of the onshore substation and National Grid substation. Views of the construction of the onshore substation and National Grid substation are either screened by hedgerow along this section of Grove Road or screened by the mature woodland at Laurel Covert and around Fareacres Farm. Viewpoint 3 (<b>Figure 29.15</b>) provides a representative example of the likely change in views from this section of Grove Road.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Motorists on Grove Road between Saxmundham Road and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the operation of the onshore substation and National Grid substation. Views of the operation of the onshore substation and National Grid substation are either screened by hedgerow along this section of Grove Road or screened by the mature woodland at Laurel Covert and around Fareacres Farm. Viewpoint 3 (<b>Figure 29.15</b>) provides a representative example of the likely change in views from this section of Grove Road.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Motorists on Grove Road between Saxmundham Road and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the operation of the onshore substation and National Grid substation. Screening woodland belts to the north of Grove Wood are predicted to have grown to provide further screening in views from this section of Grove Road.</li> </ul>	
Section B: Grove Wood (Manor Farm) to northern edge of Friston	
Magnitude of change (construction):	High (during construction period)
<ul style="list-style-type: none"> <li>Motorists on Grove Road between Grove Wood (Manor Farm) and the north edge of Friston will experience a high magnitude of change to views experienced from this section of the road due to the construction of the onshore substation and National Grid substation. The construction of the onshore substation and National Grid substation will be visible in close proximity in the foreground of the views to the immediate west of the road. Changes to view from this section of Grove Road arising from the construction of the onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure taking shape during the construction period, together with construction compounds, fencing, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period. The construction of the onshore cable route into the onshore substation will also be prominent in views from this section of Grove Road. The scale and extent of the construction of the onshore substation</li> </ul>	



and National Grid substation will result in a particularly large change from this localised section of Grove Road, due to the close proximity (100m), however the onshore substation and National Grid substation will be partially contained by the mature woodland at Grove Wood/Laurel Covert, the rising landform to the north and will be viewed in the context of the existing National Grid transmission line.	
Magnitude of change (operation, without mitigation):	High
<ul style="list-style-type: none"> <li>Motorists on Grove Road between Grove Wood (Manor Farm) and the north edge of Friston will experience a high magnitude of change to views experienced from this section of the road due to the operation of the onshore substation and National Grid substation. The operation of the onshore substation and National Grid substation will be visible in close proximity in the foreground of the views to the immediate west of the road. Changes to view from this section of Grove Road arising from the operation of the onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure, such as the GIS buildings and external electrical infrastructure (e.g. harmonic filters and transformers). The scale and extent of the operational onshore substation and National Grid substation will result in a particularly large change from this localised section of Grove Road, due to the close proximity (100m), however the onshore substation and National Grid substation will be partially contained by the mature woodland at Grove Wood/Laurel Covert, the rising landform to the north and will be viewed in the context of the existing National Grid transmission line.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Medium-high
<ul style="list-style-type: none"> <li>Hedgerow mitigation planting will have grown along the northern side of Grove Road, providing partial screening of views experienced by motorists travelling along this closest section of Grove Road, however the onshore substation and National Grid substation are expected to be visible as large-scale features beyond this foreground hedgerow. Mitigation planting will reduce the magnitude of change to medium-high when the hedgerow planting and further woodland planting around the onshore substation is predicted to have grown to soften their appearance and partially integrate them into a well wooded landscape context.</li> </ul>	
Section C: Grove Road through Friston	
Magnitude of change (construction):	Low (during construction period)
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the construction of the onshore substation and National Grid substation on views from Grove Road through Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from this section of Grove Road. The construction of the onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees during construction, substantially screened by intervening trees and will only be slightly apparent in views.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from Grove Road passing through Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from this section of Grove Road. The operational onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements of electrical infrastructure will be visible intermittently beyond intervening foreground buildings and trees during operation, substantially screened by intervening trees and will only be slightly apparent in views.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low
<ul style="list-style-type: none"> <li>Mitigation planting along field boundaries to the north of Friston around the onshore substation and National Grid substation will further reduce visibility of the built infrastructure in views from Grove</li> </ul>	

Road through Friston, with the magnitude of change remaining low after 15 years when the woodland planting is predicted to have grown to provide further screening.			
Significance of effect:			
Receptor: Motorists on Grove Road	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Section A: Saxmundham Road to Grove Wood	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Section B: Grove Wood (Manor Farm) to northern edge of Friston	Significant, short-term, temporary	Significant, long-term, temporary	Significant, long-term, permanent
Section C: Grove Road through Friston	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

#### 29.3.1.1.4 Recreational Routes

33. An assessment of the visual effects of the onshore substation and National Grid substation from the Suffolk Coastal Cycle Route and the Sandling's Walk (**Figure 29.9**) is presented in the following technical assessment. The visual effects of the onshore substation and National Grid substation have been assessed as not significant on views experienced by people walking and cycling on all other recreational routes in the preliminary assessment in **section 29.2.3.1**.

#### Suffolk Coastal Cycle Route (Regional Route 42)

Cyclists travelling on Suffolk Coastal Cycle Route (Regional Route 42)	
Representative viewpoints:	Viewpoints 3 and 4
Sensitivity to change:	
Cyclists on Suffolk Coastal Cycle Route:	Medium-high
Magnitude of change:	
Section A: Northern edge of study area to Grove Wood	
Magnitude of change (construction):	Low to negligible (during construction period)
<ul style="list-style-type: none"> <li>Cyclists travelling on the Suffolk Coastal Cycle Route between the northern edge of the study area and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the construction of the onshore substation and National Grid substation. Views of the construction of the onshore substation and National Grid substation are either screened by hedgerow along the minor roads which the cycle route takes, such as Grove Road, or screened by the mature woodland at Laurel Covert and around Fareacres Farm. Viewpoint 3 (<b>Figure 29.15</b>) provides a representative example of the likely change in views from the Suffolk Coastal Cycle Route from Grove Road on this section of the route.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Cyclists on the Suffolk Coastal Cycle Route between the northern edge of the study area and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the operation of the onshore substation and National Grid substation. Views of the operation of the onshore substation and National Grid substation are either screened by hedgerow along the minor roads forming this section of the cycle route or screened by the mature woodland at Laurel Covert and around Fareacres Farm. Viewpoint 3 (<b>Figure 29.15</b>) provides a representative example of the likely change in views from Grove Road on this section of the route.</li> </ul>	



Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Cyclists on the Suffolk Coastal Cycle Route between Saxmundham Road and Grove Wood (Manor Farm) will generally have no views, or at most experience a negligible to low change to their views, due to the operation of the onshore substation and National Grid substation. Screening woodland belts to the north of Grove Wood are predicted to have grown to provide further screening in views from this section of Grove Road.</li> </ul>	
Section B: Grove Wood (Manor Farm) to northern edge of Friston	
Magnitude of change (construction):	High (during construction period)
<ul style="list-style-type: none"> <li>Cyclists on the Suffolk Coastal Cycle Route travelling along Grove Road between Grove Wood (Manor Farm) and the north edge of Friston will experience a high magnitude of change to views experienced from this section of the road due to the construction of the onshore substation and National Grid substation. The construction of the onshore substation and National Grid substation will be visible in close proximity in the foreground of the views to the immediate west of the road. Changes to view from this section of the cycle route along Grove Road arising from the construction of the onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure taking shape during the construction period, together with construction compounds, fencing, machinery, cranes, accommodation and the stockpiling of subsoil/topsoil needed during the construction period. The construction of the onshore cable route into the onshore substation will also be prominent in views from this section of the cycle route. The scale and extent of the construction of the onshore substation and National Grid substation will result in a particularly large change from this localised section of the cycle route along Grove Road, due to the close proximity (100m), however the onshore substation and National Grid substation will be partially contained by the mature woodland at Grove Wood/Laurel Covert, the rising landform to the north and will be viewed in the context of the existing National Grid transmission line.</li> </ul>	
Magnitude of change (operation, without mitigation):	High
<ul style="list-style-type: none"> <li>Cyclists on the Suffolk Coastal Cycle Route travelling along Grove Road between Grove Wood (Manor Farm) and the north edge of Friston will experience a high magnitude of change to views experienced from this section of the road due to the operation of the onshore substation and National Grid substation. The operation of the onshore substation and National Grid substation will be visible in close proximity in the foreground of the views to the immediate west of the road. Changes to view from this section of the cycle route Grove Road arising from the operation of the onshore substation and National Grid substation will occur due to the scale, extent and close proximity of the GIS buildings and electrical infrastructure, such as the GIS buildings and external electrical infrastructure (e.g. harmonic filters and transformers). The scale and extent of the operational onshore substation and National Grid substation will result in a particularly large change from this localised section of the cycle route along Grove Road, due to the close proximity (100m), however the onshore substation and National Grid substation will be partially contained by the mature woodland at Grove Wood/Laurel Covert, the rising landform to the north and will be viewed in the context of the existing National Grid transmission line.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Medium-high
<ul style="list-style-type: none"> <li>Hedgerow mitigation planting will have grown along the northern side of Grove Road, providing partial screening of views experienced by cyclists travelling along this closest section of Grove Road, however the onshore substation and National Grid substation are expected to be visible as large-scale features beyond this foreground hedgerow. Mitigation planting will reduce the magnitude of change to medium-high when the hedgerow planting and further woodland planting around the onshore substation is predicted to have grown to soften their appearance and partially integrate them into a well wooded landscape context</li> </ul>	
Section C: Grove Road through Friston	
Magnitude of change (construction):	Low (during construction period)
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the construction of the onshore substation and National Grid substation on views from this section of the Suffolk Coastal Cycle route through Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from this section of the cycle route. The construction of the onshore substation and National</li> </ul>	

Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees during construction, substantially screened by intervening trees and will only be slightly apparent in views.			
Magnitude of change (operation, without mitigation):		Low	
<ul style="list-style-type: none"> <li>The magnitude of change resulting from the operation of the onshore substation and National Grid substation on views from this section of the Suffolk Coastal Cycle route passing through Friston is assessed as low. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from this section of the Suffolk Coastal Cycle route. The operational onshore substation and National Grid substation will largely be screened by housing in Friston in the foreground and intervening layers of vegetation/trees, particularly woodlands within the grounds of Friston House. Only the top of the larger elements of electrical infrastructure will be visible intermittently beyond intervening foreground buildings and trees during operational, substantially screened by intervening trees and will only be slightly apparent in views.</li> </ul>			
Magnitude of change (operation, 15 years post construction with mitigation):		Low	
<ul style="list-style-type: none"> <li>Mitigation planting along field boundaries to the north of Friston around the onshore substation and National Grid substation will further reduce visibility of the built infrastructure in views from Grove Road through Friston, with the magnitude of change remaining low after 15 years when the woodland planting is predicted to have grown to provide further screening.</li> </ul>			
Significance of effect:			
Receptor: Cyclists on Suffolk Coastal Cycle Route	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Section A: Northern edge of study area to Grove Wood	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Section B: Grove Wood (Manor Farm) to northern edge of Friston	Significant, short-term, temporary	Significant, long-term, temporary	Significant, long-term, permanent
Section C: Suffolk Coastal Cycle Route through Friston	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

## Sandling's Walk

Walkers on Sandling's Walk	
Representative viewpoints:	Viewpoints 4, 7, 12 and 13
Sensitivity to change:	
Walkers on Sandling's Walk:	High
Magnitude of change:	
Section A: Southern edge of study area at Snape to Friston (Grove Road)	
Magnitude of change (construction):	Low to negligible (during construction period)
<ul style="list-style-type: none"> <li>Walkers on the Sandling's Walk between the southern edge of the study area and Friston (Grove Road) will generally have no views, or at most experience a negligible to low change to their views, due to the construction of the onshore substation and National Grid substation. Views of the construction of the onshore substation and National Grid substation are either screened by hedgerows along the minor roads which the path follows, such as Grove Road, or screened by</li> </ul>	

<p>mature woodland at Friston House and Grove Wood. In the area through Friston the construction of the onshore substation and National Grid substation will largely be screened by housing in the foreground. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and trees during construction and will only be slightly apparent in views. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from the Sandling's Walk through the village of Friston.</p>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Walkers on the Sandling's Walk between the southern edge of the study area and Friston (Grove Road) will generally have no views, or at most experience a negligible to low change to their views, due to the operation of the onshore substation and National Grid substation. Views of the operational onshore substation and National Grid substation are either screened by hedgerow along the minor roads which the path follows, such as Grove Road, or screened by mature woodland at Friston House and Grove Wood. In the area through Friston the operational onshore substation and National Grid substation will largely be screened by housing in the foreground. Only the top of the larger elements of electrical infrastructure will be visible intermittently beyond intervening foreground buildings and trees during operation, will only be slightly apparent in views. Viewpoint 6 (<b>Figure 29.18</b>) provides a representative example of the likely change in views from the Sandling's Walk through the village of Friston.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
Section B: Friston (Grove Road) to Sloe Lane (Billeaford Hall)	
Magnitude of change (construction):	Low to negligible (during construction period)
<ul style="list-style-type: none"> <li>Walkers on the Sandling's Walk between Friston (Grove Road) and Sloe Lane (Billeaford Hall) will generally have no views or at most a negligible change to their views, due to the construction of the onshore substation and National Grid substation. Views of the construction of the onshore substation and the National Grid substation are largely screened primarily by intervening woodland at Grove Wood as well as by existing housing on the edge of Friston and smaller woodland coverts within the fields between the Sandling's Walk and the onshore substation and National Grid substation construction areas. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening foreground buildings and woodland during construction and they will only be slightly apparent in views. Viewpoint 7 and Viewpoint 12 (<b>Figure 29.19</b> and <b>Figure 29.24</b>) provide representative examples of the likely change in views from the Sandling's Walk within an agricultural field to the north east of Friston and fields on the edge of Knodishall Common respectively.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>Walkers on the Sandling's Walk between Friston (Grove Road) and Sloe Lane (Billeaford Hall) will generally have no views or at most a negligible change to their views, during the operation of the onshore substation and National Grid substation. Views of the onshore substation and the National Grid substation are largely screened primarily by intervening woodland at Grove Wood as well as by existing housing on the edge of Friston and smaller woodland coverts within the fields between the Sandling's Walk path and the onshore substation and National Grid substation area. Only the top of the larger elements of electrical infrastructure will be visible intermittently above buildings in the foreground at the edge of Friston. The remainder of the route will be substantially screened by intervening woodland and would not be apparent within views. Viewpoint 7 and Viewpoint 12 (<b>Figure 29.19</b> and <b>Figure 29.24</b>) provide representative examples of the likely change in views from the Sandling's Walk within an agricultural field to the north east of Friston and fields on the edge of Knodishall Common respectively.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
Section C: Sloe Lane (Billeaford Hall) to Aldringham Common	
Magnitude of change (construction):	Low to negligible (during construction period)

<ul style="list-style-type: none"> <li>The distance of this section of the Sandlings Walk between Sloe Lane (Billeaford Hall) and Aldringham Common from the onshore substation and the National grid substation (2.0km from Billeaford Hall and 4.5 km from Adringham), in combination with the presence of intervening woodland and hedgerows means that walkers will have no views or at most a negligible change to their views. Views of the construction of the onshore substation and the National Grid substation are largely screened primarily by intervening woodland at Grove Wood and Great Wood as well as smaller woodland coverts within the fields between the Sandling's Walk path and the onshore substation and National Grid substation construction area. Only the top of the larger elements associated with the construction of the onshore infrastructure, such as cranes and the installation of the larger electrical infrastructure, such as the harmonic filters, will be visible beyond intervening woodland and hedgerows during construction and they would be substantially screened and visible only slightly within the background of any views. Although not located on the Sandling's Walk route, viewpoint 13 (<b>Figure 29.24</b>) provides a representative example of the likely change in views in the first half of this section of the Sandling's Walk.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>The distance of this section of the Sandlings Walk between Sloe Lane (Billeaford Hall) and Aldringham Common from the onshore substation and the National Grid substation (2.0km from Billeaford Hall and 4.5 km from Adringham), in combination with the presence of intervening woodland and hedgerows means that walkers will have no views or at most a negligible change to their views. Views of the operational onshore substation and National Grid substation are largely screened primarily by intervening woodland at Grove Wood and Great Wood as well as smaller woodland coverts within the fields between the Sandling's Walk path and the onshore substation and National Grid substation operational area. Only the top of the larger elements of electrical infrastructure, will be visible beyond intervening woodland and hedgerows during operation and they would be substantially screened and visible only slightly within the background of any views. Although not located on the Sandling's Walk route, viewpoint 13 (<b>Figure 29.24</b>) provides a representative example of the likely change in views in the first half of this section of the Sandling's Walk and illustrates the extent to which taller elements will be visible.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
Section D: Aldringham Common to Sizewell	
Magnitude of change (construction):	Low to negligible (during construction period)
<ul style="list-style-type: none"> <li>The distance of this section of the Sandlings Walk (&gt;4.5km) to the onshore substation and the National Grid substation as well as the presence of intervening woodland, hedgerows and settlements means that that will be no views or extremely limited views of the construction.</li> </ul>	
Magnitude of change (operation, without mitigation):	Low to negligible
<ul style="list-style-type: none"> <li>The distance of this section of the Sandlings Walk (&gt;4.5km) to the onshore substation and the National Grid substation as well as the presence of intervening woodland, hedgerows and settlements means that that will be no views or extremely limited views during operation.</li> </ul>	
Magnitude of change (operation, 15 years post construction with mitigation):	Low to negligible
Section E: Sizewell to northern edge of study area south of East Bridge	
Magnitude of change (construction):	Negligible (during construction period)
The distance of this section of the Sandlings Walk (between 4.6 km and 6.8 km) to the onshore substation and the National Grid substation as well as the presence of intervening woodland, hedgerows and the settlement of Leiston means that there will be no views of the construction.	
Magnitude of change (operation, without mitigation):	Negligible
The distance of this section of the Sandlings Walk (between 4.6 km and 6.8 km) to the onshore substation and the National Grid substation as well as the presence of intervening woodland, hedgerows and the settlement of Leiston means that there will be no views during operation.	
Magnitude of change (operation, 15 years post construction with mitigation):	Negligible
Significance of effect:	

Receptor	Significance of effect (construction)	Significance of effect (operation without mitigation)	Significance of effect (operation with mitigation)
Walkers on Sandling's Walk (Section A)	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Walkers on Sandling's Walk (Section B)	Not Significant, short-term, temporary	Not Significant, long-term, temporary	Not significant, long-term, permanent
Walkers on Sandling's Walk (Section C)	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent
Walkers on Sandling's Walk (Section D)	Not Significant, short-term, temporary	Not Significant, long-term, temporary	Not significant, long-term, permanent
Walkers on Sandling's Walk (Section E)	Not significant, short-term, temporary	Not significant, long-term, temporary	Not significant, long-term, permanent

### 29.3.1.2 Onshore cable route (Operational Effects)

34. The potential effects of the onshore infrastructure during operation will relate principally to the presence of the onshore substation and National Grid substation. It is anticipated that once operational, the potential effects of the landfall and onshore cable route would be not significant due to their presence underground, with a minimum amount of associated development visible above ground. The assessment of these components during the operational phase has been scoped out of the LVIA, as agreed through the scoping process, with the exception of the removal of woodland at the Aldeburgh Road crossing (Raidsend) which is assessed as an operational impact in **Table A29.11**.

**Table A29.11 Operational Visual Effects of Onshore cable route**

Receptor	Sensitivity to change	Magnitude of Change (Operation)	Significance of effect (Operation, without mitigation)	Magnitude of change (operation with mitigation)	Significance of effect (operation with mitigation)
Aldringham residents of local area around Aldeburgh Road and Fitches Lane	High	Medium-high. The visual amenity experienced by residents of the local area around Aldeburgh Road and Fitches Lane is likely to be changed, due to loss of mature woodland in local views,	Significant, long-term and temporary	Medium-high Land will be reinstated with heathland and areas of woodland around the edges of the affected area, providing screening, however reinstatement planting cannot	Significant, long-term and permanent



Receptor	Sensitivity to change	Magnitude of Change (Operation)	Significance of effect (Operation, without mitigation)	Magnitude of change (operation with mitigation)	Significance of effect (operation with mitigation)
		resulting in more open views (which are currently contained by the woodland) and changes to the setting of Aldringham Court.		be guaranteed over the onshore cable route.	
B1122 (motorists)	Medium	Medium-high. The felling of mature woodland at Raidsend will be visible in views from a short section of the B1122 Aldeburgh Road and will change the visual amenity experienced from the road, creating more open views which are currently enclosed on either side by mature woodland.	Significant, long-term and temporary	Medium-high Land will be reinstated with heathland and areas of woodland around the edges of the affected area, providing screening, however reinstatement planting cannot be guaranteed over the onshore cable route.	Significant, long-term and permanent
Local public right of way (Fitch's Lane / Raidsend)	Medium-high	Medium-high. The visual amenity experienced by people walking on the local PRow network along Fitches Lane and within the woodland at Raidsend is likely to be changed, due to loss of mature woodland in local views, resulting in more	Significant, long-term and temporary	Medium-high Land will be reinstated with heathland and areas of woodland around the edges of the affected area, providing screening, however reinstatement planting cannot be guaranteed over the	Significant, long-term and permanent

Receptor	Sensitivity to change	Magnitude of Change (Operation)	Significance of effect (Operation, without mitigation)	Magnitude of change (operation with mitigation)	Significance of effect (operation with mitigation)
		open views (which are currently contained by the woodland).		onshore cable route.	

### 29.3.2 Potential Impacts during Construction

#### 29.3.2.1 Onshore cable route

##### 29.3.2.1.1 Settlements

35. An assessment of the visual effects of the onshore cable route during the construction period on views experienced by residents of Leiston, Aldringham, Coldfair Green and Friston (east to west along onshore cable route) (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the onshore cable route during the construction period have been assessed as not significant on all other settlement receptors in the preliminary assessment.

**Table A29.12 Visual Effects of Onshore Cable Route on Settlements**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
Leiston (residents)	High	<p>The magnitude of change on views experienced by residents of Leiston resulting from the construction of the onshore cable route is assessed as negligible from the majority of the settlement where there will be no direct views of the onshore infrastructure during construction, due to screening by the built environment and intervening vegetation within and around the edges of the Leiston.</p> <p>Views of the construction of the onshore cable route are limited to views experienced by residents of localised areas along the southern and eastern edge of Leiston, with open views of the fields to the south-east, such as from Red House Lane and Kingfisher Place, where residents are likely to experience a low magnitude of change resulting from the construction of the onshore cable route during the construction period.</p>	Not significant, short-term, temporary (during construction period).



Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
		Visible onshore cable route construction works which are likely to result in change to views from this localised area, consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The onshore cable route construction works will be set back in views and seen in the context of the National Grid overhead transmission line which traverses the landscape in existing views from this edge of Leiston.	
Aldringham (residents)	High	<p>The magnitude of change on views experienced by residents of Aldringham resulting from the construction of the onshore cable route is assessed as low on its route to the east of the settlement crossing the B1353 Thorpeness Road, where construction works will be set back from the settlement and not visible in views from the centre of Aldringham.</p> <p>The magnitude of change on views experienced by residents of Aldringham resulting from the construction of the onshore cable route, is however, assessed as rising to high where it crosses the Hundred River and Aldringham Road, where the construction of the onshore cable route will be visible in views from nearby dwellings, such as Fitches Lane and where felling of a notable area of mature woodland at Raisdend is required to the south of Aldringham Court. The visual amenity from Aldeburgh Road and Fitches Lane is likely to be changed, resulting in more open views on either side of the road (which are currently contained by the woodland) and changes to the setting of Aldringham Court.</p>	<p>Not significant, short-term, temporary (during construction period) from the centre of Aldringham.</p> <p>Significant, short-term and temporary from the Aldringham Road area where the onshore cable route construction requires felling of a notable area of mature woodland at Raisdend.</p>
Coldfair Green (residents)	High	The magnitude of change on views experienced by residents of Coldfair Green resulting from the construction of the onshore cable route is assessed as negligible from the	Not significant, short-term, temporary (during construction

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
		<p>majority of the settlement where there will be no direct views of the onshore infrastructure during construction, due to screening by the built environment and intervening vegetation within and around the edges of the Coldfair Green. Knodishall Common provides substation screening in views west.</p> <p>The magnitude of change on views experienced by residents of Coldfair Green resulting from the construction of the onshore cable route, is however, assessed as rising to high in views from a localised area on the southern edge of the settlement, where properties around The Fitches and Buxlow Close back on to the onshore cable route and properties on Snape Road are exposed to the onshore cable route crossing of Sloe Lane and Snape Road. While benefiting from screening to the rear at ground level, there are likely to be views from upper floors. Visible onshore cable route construction works which are likely to result in change to views from this localised area, consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period.</p>	<p>period) from the majority of Coldfair Green.</p> <p>Significant, short-term and temporary from the southern edges of Coldfair Green adjacent to the onshore cable route.</p>
Friston (residents)	High	<p>The magnitude of change on views experienced by residents of Friston resulting from the construction of the onshore cable route is assessed as negligible from the majority of the central and southern areas of the settlement where there will be no direct views of the onshore infrastructure during construction, due to screening by the built environment and intervening vegetation within and around the edges of the Friston. The magnitude of change on views experienced by residents of Friston resulting from the construction of the onshore cable route, is however, assessed as rising to high in views from a localised area on the northern</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of central and southern areas of Friston.</p> <p>Significant, short-term and temporary from the northern edges of Friston</p>

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
		edge of the settlement, where properties around Church Road/Grove Road back on to the onshore cable route. Properties on Aldeburgh Road are also likely to have views of the onshore cable route construction to the fore of Grove Wood and will experience a medium magnitude of change. Visible onshore cable route construction works which are likely to result in change to views from these localised areas of Friston, consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. Felling of notable sections of hedgerow field boundaries to the north of Friston is also required to connect into the onshore substation and will change the visual amenity from Grove Road, resulting in more open views on either side of the road (which are currently often contained by the hedgerows).	adjacent to the onshore cable route.

### 29.3.2.1.2 Transport Routes

36. An assessment of the visual effects of the onshore cable route during the construction period on views experienced by motorists from the B1353, B1122, B1069 and B1121 (east to west along the onshore cable route) (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the onshore cable route during the construction period have been assessed as not significant on all other transport routes in the preliminary assessment.

**Table A29.13 Visual Effects of Onshore Cable Route on Transport Routes**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
B1353 Thorpeness Road (motorists)	Medium	Motorists on the B1353 between Thorpeness and Coldfair Green will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.  Motorists will experience a high magnitude of change to views over a short section of the B1353, to the east of Aldringham, where the onshore cable route crosses the B1353. Over this short section of	Not significant, short-term, temporary (during construction period) from the majority of the B1353 Thorpeness Road.

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
		the B1353 the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The felling of notable sections of hedgerow field boundary along either side of the B1353 to allow for the construction of the onshore cable route will also be visible in views along this section of the road.	Significant, short-term and temporary from short section of the B1353 to the east of Aldringham where the onshore cable route crosses the road.
B1122 Aldeburgh Road (motorists)	Medium	<p>Motorists on the B1122 between Aldeburgh and Leiston will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Motorists will experience a high magnitude of change to views over a short section of the B1122, to the south of Aldringham, where the onshore cable route crosses the B1122. Over this short section of the B1122 the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The felling of a notable area of mature woodland at Raldsend, to the south of Aldringham Court, on either side of the B1122 to allow for the construction of the onshore cable route will also be visible in views along this section of the road and will change the visual amenity experienced from the road, creating more open views from this section that is currently enclosed on either side by mature woodland.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the B1122 Aldeburgh Road.</p> <p>Significant, short-term and temporary from short section of the B1122 to the south of Aldringham where the onshore cable route crosses the road and mature woodland at Raldsend.</p>
B1069 Snape Road (motorists)	Medium	<p>Motorists on the B1069 between Leiston and Snape will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Motorists will experience a high magnitude of change to views over a short section of the B1069, to the south of Coldfair Green, where the onshore cable route crosses the B1069. Over this short section of the B1069 the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The felling of notable sections of hedgerow field boundary along either side of the B1069 to allow for the construction of the onshore</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the B1069 Snape Road.</p> <p>Significant, short-term and temporary from short section of the B1069 to the south of Coldfair Green where the onshore cable route crosses the road.</p>

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of effect (Construction, without mitigation)
		cable route will also be visible in views along this section of the road.	
B1121 Aldeburgh / Saxmundham Road (motorists)	Medium	<p>Motorists on the B1121 between Saxmundham and Aldeburgh will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Motorists will experience a medium magnitude of change to views over a short section of the B1121, in the southern part of Friston, where there are views to the onshore cable route running in parallel to the road. Over this short section of the B1121 the onshore cable route construction works will be visible across field to the fore of Grove Wood and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period.</p>	Not significant, short-term, temporary (during construction period) from B1121 Aldeburgh Road.

### 29.3.2.1.3 Recreational Routes

37. An assessment of the visual effects of the onshore cable route during the construction period on views experienced by people using the Suffolk Coastal Path, Sandling's Walk and Suffolk Coastal Cycle Route (Regional Route 42) (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the onshore cable route during the construction period have been assessed as not significant on all other recreational routes in the preliminary assessment.

**Table A29.14 Visual Effects of Onshore Cable Route On Recreational Routes**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
Suffolk Coastal Path (walkers)	High	<p>Walkers on the Suffolk Coastal Path will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Walkers on the Suffolk Coastal Path will experience a high magnitude of change to views over a short section of the route, to the north of Thorpeness, where the onshore cable route crosses or is adjacent to the route of Suffolk Coastal Path. Over this short section of the Suffolk Coastal Path (approximately 1.5km) the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the Suffolk Coastal Path.</p> <p>Significant, short-term and temporary from short (1.5km) section of the Suffolk Coastal Path to the north of Thorpeness where the onshore cable route crosses and runs</p>

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
		<p>construction period. The clearance of some sections of scrub vegetation and hedgerow field boundary to allow for the construction of the onshore cable route will also be visible in views along this section of the route.</p>	<p>parallel to the route of the path.</p>
Sandling's Walk (walkers)	Medium-high	<p>Walkers on the Sandling's Walk will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Walkers on the Sandling's Walk will experience a high magnitude of change to views over two sections of the route:</p> <p>1) from the edge of Friston to Great Wood for approximately 3.5km where the route runs parallel to and subsequently crosses the onshore cable route; 2) from the edge of Aldringham Common to Sizewell for approximately 2.0km where the route crosses through and then runs parallel to the onshore cable route.</p> <p>In both cases the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The clearance of some sections of scrub vegetation and hedgerow field boundary to allow for the construction of the onshore cable route will also be visible in views along these two sections of the route.</p>	<p>Not significant, short-term, temporary (during construction period) for the majority of the Sandlings Walk.</p> <p>Significant, short-term and temporary for two medium (3.5 km) and short (2km) sections of the Sandlings Walk to the north east of Friston and to the south of Sizewell</p> <p>where the onshore cable route crosses and runs parallel to the route of the path.</p>
Suffolk Coastal Cycle Route (Regional Route 42) (Cyclists)	Medium-high	<p>Cyclists on the Suffolk Coastal Cycle Route will generally have no views, or at most experience a negligible change to their views, due to the construction of the onshore cable route.</p> <p>Cyclists on the Suffolk Coastal Coastal Route will experience a high magnitude of change to views over a short section of the route, along Grove Road between Friston and Grove Wood, where the onshore cable route crosses or is adjacent to the route of Suffolk Coastal Cycle Route. Over this short section of the Suffolk Coastal Path (approximately 1.0km) the onshore cable route construction works will be visible in close proximity and will consist of the haul road construction, cable trenching, installation of jointing bay compounds, construction consolidation sites and vehicles/machinery in use temporarily, during the construction period. The clearance of some sections of hedgerow field boundary to allow for the construction of the onshore cable route will also be visible in views along this section of the route.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the Suffolk Coastal Cycle Route.</p> <p>Significant, short-term and temporary from short (1.0km) section of the Suffolk Coastal Cycle Route along Grove Road between Friston and Grove Wood where the onshore cable route is located in close proximity to the route.</p>



### 29.3.2.2 Landfall Location

#### 29.3.2.2.1 Settlements

38. An assessment of the visual effects of the landfall during the construction period on views experienced by residents of Thorpeness (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the landfall during the construction period have been assessed as not significant on all other settlement receptors in the preliminary assessment in **section 29.2.3.3**.

**Table A29.15 Visual Effects of Landfall Location on Settlements**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
Thorpeness (residents)	High	<p>The magnitude of change on views experienced by residents of Thorpeness resulting from the construction of the landfall is assessed as negligible from the majority of the central and southern areas of the settlement where there will be no direct views of the landfall during construction, due to orientation of the headland at Thorpeness, screening by the built environment, intervening vegetation within and around the edges of the Thorpeness.</p> <p>The magnitude of change on views experienced by residents of Thorpeness resulting from the construction of the onshore cable route, is however, assessed as rising to high in views from a localised area on the northern and north-western edge of the settlement, where properties around North End Avenue, Pilgrim’s Way, Thorpeness Road and Stony Lane are located adjacent to the landfall. Visible landfall construction works which are likely to result in change to views from these localised areas on the north and north-west edges of Thorpeness, consist of construction consolidation sites, installation of HDD compound and two transition bays within the landfall and vehicles/machinery in use temporarily, during the construction period.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of central and southern areas of Thorpeness.</p> <p>Significant, short-term and temporary from the northern and north-western edges of Thorpeness adjacent to the landfall.</p>

#### 29.3.2.2.2 Transport Routes

39. An assessment of the visual effects of the landfall during the construction period on views experienced by motorists travelling on the B1353 (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the landfall during the construction period have been assessed as not significant on all other transport routes in the preliminary assessment in **section 29.2.3.3**.



**Table A29.16 Visual effects of Landfall Location on Transport Routes**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
B1353 (motorists)	Medium	<p>Motorists on the B1353 between Thorpeness and Coldfair Green will generally have no views, or at most experience a negligible change to their views, due to the construction of the landfall.</p> <p>Motorists will experience a high magnitude of change to views over a short section of the B1353, to the east of Thorpeness, where the landfall is located immediately to the north of the B1353. Over this short section of the B1353 (approximately 750m) the landfall construction works will be visible in close proximity and will consist of construction consolidation sites, installation of HDD compound and two transition bays within the landfall and vehicles/machinery in use temporarily, during the construction period.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the B1353 Thorpeness Road.</p> <p>Significant, short-term and temporary from short (750m) section of the B1353 to the east of Thorpeness where the landfall is visible in close proximity to the road.</p>

### 29.3.2.2.3 Recreational Routes

40. An assessment of the visual effects of the landfall during the construction period on views experienced by people using the Suffolk Coastal Path and Sandling's Walk (**Figure 29.6**) is presented in the following technical assessment. The visual effects of the landfall during the construction period have been assessed as not significant on all other recreational routes receptors in the preliminary assessment in **section 29.2.3.3**.

**Table A29.17 Visual effects of landfall on recreational routes**

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
Suffolk Coastal Path (walkers)	High	<p>Walkers on the Suffolk Coastal Path will generally have no views, or at most experience a negligible change to their views, due to the construction of the landfall.</p> <p>Walkers on the Suffolk Coastal Path will experience a high magnitude of change to views over a short section of the route, to the north of Thorpeness, where the route of the path crosses the landfall. Over this short section of the Suffolk Coastal Path (approximately 1.0km) the landfall construction works will be visible in close proximity and will consist of construction consolidation sites, installation of HDD compound and two transition bays within the landfall and vehicles/machinery in use temporarily, during the construction period. The clearance of some sections of scrub vegetation and hedgerow field boundary to allow for the construction of the landfall is also likely to be visible in views along this section of the route.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the Suffolk Coastal Path.</p> <p>Significant, short-term and temporary from short (1.0km) section of the Suffolk Coastal Path to the north of Thorpeness where the route of the path crosses the landfall.</p>

Receptor	Sensitivity to change	Magnitude of Change (Construction)	Significance of Effect (Construction)
Sandling's Walk (walkers)	Medium-high	<p>Walkers on the Sandling's Walk will generally have no views, or at most experience a negligible change to their views, due to the construction of the landfall.</p> <p>Walkers on the Sandling's Walk will experience a medium magnitude of change to views over a short section of the route, between Thorpeness and Sizewell, where the route overlooks the landfall. Over this short section of the Sandling's Walk (approximately 1.0km) the landfall construction works will be visible in close proximity and will consist of construction consolidation sites, installation of HDD compound and two transition bays within the landfall and vehicles/machinery in use temporarily, during the construction period. The clearance of some sections of scrub vegetation and hedgerow field boundary to allow for the construction of the landfall is also likely to be visible in views along this section of the route.</p>	<p>Not significant, short-term, temporary (during construction period) from the majority of the Sandling's Walk.</p> <p>Significant, short-term and temporary for a short (1.0km) section of the Sandling's Walk between Thorpeness and Sizewell where the route of the path overlooks the landfall.</p>